



## **2019** LINEUP

#### POLARIS GENERAL 1000



100 HP PROSTAR ENGINE
600 LB. DUMPING BOX
STANDARD HALF DOORS
ELECTRONIC POWER STEERING (EPS)
POLARIS LOCK & RIDE COMPATIBLE
VERSATRAC TURF MODE

#### OLARIS GENERAL 1000 PREMIUM



BASE PLUS:
AUTOMOTIVE PAINT
MATTE BLACK CAST ALUMINUM WHEELS
27" MAXXIS CORONADO TIRES
SPORT LOW PROFILE FRONT BUMPER
POLARIS HD 4500 LB. WINCH

#### POLARIS GENERAL 1000 HUNTER EDITI



# PREMIUM PLUS:

LOCK & RIDE DUAL GUN BOOT 2 POLARIS® GUN BOOTS BY KOLPIN® POLARIS PURSUIT CAMO

#### POLARIS GENERAL 1000 LIMITED EDITION



#### ADDITIONAL FEATURES:

CUSTOM BREAKOUT CAMO GRAPHICS COLOR MATCHED SPORT LOW PROFILE FRONT BUMPER

COLOR MATCHED ROCK SLIDERS

#### POLARIS GENERAL 1000 DELUXE



PREMIUM PLUS:
FOX PODIUM X 2.0 QS3 SHOCKS
SPORT ROOF
MTX PREMIUM SOUNDBAR
CONVEX REAR VIEW MIRROR

#### POLARIS GENERAL 1000 RIDE COMMAND EDITION



#### DELINE DITIE:

RIDE COMMAND 7" GLOVE-TOUCH DISPLAY FRONT 8 REAR WIRED CAMERAS GPS MAPPING

BLUETOOTH\* PHONE CONNECTIVITY

#### POLARIS GENERAL 4 1000



#### BASE PLUS:

AUTOMOTIVE PAINT

MATTE BLACK CAST ALUMINUM WHEELS
27" DIRT COMMANDER 8-PLY TIRES
FOX" PODIUM 2.0 QS3 SHOCKS

SPORT LOW PROFILE FRONT BUMPER

POLARIS HD 4500 LB. WINCH

#### POLARIS GENERAL 4 1000 RIDE COMMAND EDITION



#### BASE PL

SPORT ROOF

MTX" PREMIUM 8 SPEAKER SOUNDBAR

RIDE COMMAND 7" GLOVE-TOUCH DISPLAY

FRONT & REAR WIRED CAMERAS GPS MAPPING

BLUETOOTH" PHONE CONNECTIVITY

CONVEX REAR VIEW MIRROR

# 2019 POLARIS GENERAL ACCESSORIES

POLARIS ENGINEERED	U2
WORK & EXPLORE	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS & PROTECTION	12
RIDE COMMAND, POLARIS PULSE, AUDIO	
& CAB ACCESSORIES	14
LIGHTING	
STORAGE	18
POLARIS NORTHSTAR COOLER	20
WHEELS & TIRES	22
WINCHES & PLOWS	28
PARTS & GARAGE	
OIL & LUBRICANTS	30
MAINTENANCE	32
GARAGE & TRAILERING	36
APPAREL & HELMETS	
RIDING GEAR	38
CASUALWEAR	40

# P\*LARIS\* ENGINEERED


# KEEP YOUR STANDARDS HIGH

# DESIGNED

POLARIS OFFERS THE
BROADEST LINEUP OF
ACCESSORIES AND MOST
ACCESSORIES SOLUTIONS
INNOVATIVE SOLUTIONS
IN OFF-ROAD. EACH ONE IS
METICULOUSLY CRAFTED
MATCH YOUR MACHINE.
TO MATCH YOUR MACHINE.



TESTED BY THE TIME YOU GET
THIS GEAR, PROTOTYPES
THIS GEAR, PROTOTYPES
HAVE GONE THROUGH HELL
IN OUR LAB AND BEEN
EXTENSIVELY TESTED IN
THE FIELD. YOU RIDE WITH
100% CONFIDENCE.



# TRUSTED

WE'VE EARNED RIDERS'
TRUST OVER DECADES
AND WE STAND BEHIND
OUR WORK.



# POLARIS PARTNERS WITH THE BEST

We choose our partners carefully, selecting only the best in off-road. Every accessory is rigorously tested and validated at Polaris standards, to ensure seamless integration and performance.



PRO ARMOR.









**OUTDOORS** 



ENGINEERED TO TAKE ON THE ELEMENTS

TESTED 8 PROVEN

PROFILE TUBE DESIGN

Contours built into the cage deliver the

best sealing surface in the industry.

A 360° gasket seal provides the tightest-sealing cab in the industry.

PERFECT SEAL

## 15

# LOCK & RIDE

# EASY ON 8 EASY OFF

Adapt to your needs and environment with exclusive tool-less, easy-on, easy-off Lock & Ride components.



POLARIS GENERAL CABS PROVIDE THE INDUSTRY'S TIGHTEST SEAL

# BETTER DUST SEAL

**BUILD YOUR CAB SYSTEM** STARTING ON P. 08

LUXURY
YOU HAVE TO
EXPERIENCE
TO BELIEVE

Our cab components create an experience enhancing interior, offering supreme comfort to your vehicle.



EFFORTLESSLY ADD **LIGHTS, HEAT, WIPERS & AUDIO.** 

Be prepared for everything off-road riding & the elements throw at you.

A revolution in electrical accessory integration, the Polaris Pulse Electrical System allows for a simple plug & play approach for adding power to Polaris Engineered Accessories.

Look for PPOLES to identify Polaris PULSE ready accessories.






# SHIELD THE FRONT

# CONTROL THE SWIRL





adjustment system

easily opens, providing

Offers fully-sealed or flipped-down venting options. Upper half detaches,

leaving lower half for protection with

GLASS VS POLY



enhanced visibility in tough conditions

Hard Coat Layer

Superior OPTICAL CLARITY for a clear view. Laminated safety glass provides automotive-level visibility.

> Curved to fit, seals tight, and is wiper ready.

Lightweight and flexible, POLY is NT, providing long-term value and protection. Guarantees a tight seal to keep out rain and dust.

2881090 See page 15

Hard Coat options feature an extra layer on both sides of the poly, which provides **IORE** scratch resistance than regular poly windshields.

#### POLARIS ENGINEERED **ADVANTAGES**



#### **AIRTIGHT GASKET SEAL**

Our windshields and rear panels feature 360° airtight gasket seals to keep drafts and moisture out of your cab.



#### LOCK & RIDE

#### **REVOLUTIONARY** INSTALLATION

ADD A REAR PANEL TO REDUCE THE DUST SWIRL

Windshields and rear panels install easily and lock securely in place using Polaris Lock & Ride technology. Once installed, it removes easily and can be reinstalled without the need for any tools.

Polaris GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements,





# REPLACE EXISTING HALF DOORS WITH PREMIUM POLY FULL DOORS.

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment

#### **FRONT**

- Six-way glass window adjustability
- » 2883717
- POLARIS GENERAL 4 '17-19 POLARIS GENERAL '16-19

- · Hinged window adjustability
- · Soft-touch, easy to clean premium interior liner



- Push-nut windows
- · Kit includes B-pillar cover seal

**PREMIUM FEATURES** 

Automotive-like finish, cast handle,

- » 2883082



#### A PERFECT FIT FOR THE PERFECT SEAL

Polaris Engineered cab components nest perfectly into the contours of the cab frame with a 360° degree gasket seal.



ADD ZIP WINDOW UPPER DOORS TO STOCK HALF DOORS

- · Lightweight, UV-resistant construction
- Retention straps for increased strength

#### FRONT

- POLARIS GENERAL 4 '18-19 POLARIS GENERAL '18-19

choose from two great Polaris options.

- · Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

## REAR

POLARIS GENERAL 4 '18-19

#### POLARIS ENGINEERED ADVANTAGES





# **COVERAGE** FOR YOUR CAB



POLARIS ENGINEERED ADVANTAGES



# **FOR THE PERFECT SEAL**

Polaris Engineered cab components nest perfectly into the contours of the cab frame with a 360° gasket seal



#### **PREMIUM FEATURES 8** QUIETER RIDE

Roof liners provide a clean look by hiding wiring, and absorb noise



#### **KEEP MOISTURE** MOVING

Keep precipitation moving with integrated channels that direct

# TAKE ON THE TERRAIN

Arm your Polaris GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing added protection for lights, bodywork and suspension

## REAR BUMPERS

SPORT REAR BUMPER



SPORT UPPER FRONT BUMPER

# POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19 HMW A-ARM GUARDS - REAR

» 2880171 POLARIS GENERAL 4 '17-19 POLARIS GENERAL '16-19

» 4-SEAT • 2881992 POLARIS GENERAL 4 '17-19

» 2881102

POLARIS GENERAL '16-19

**EXTREME KICK-OUT** 

STEEL NERF BARS

» 2-SEAT • 2881101 POLARIS GENERAL '16-19



TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTALL OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.



MTX<sup>®</sup> PREMIUM

 Fully-sealed, injectionmolded enclosure with

marine-grade components 8 Speakers, 100-Watt Bluetooth® connections

Not compatible with Ride Command (Need 2883803

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

8-VENT HEATER & DEFROST SYSTEM

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

Ride Command MTX® Soundbar with Mount Kit)

2881115 ×

PULSE Green

» 2881316

PÜLSE

SYSTEM » 2881 ngn

WINDSHIELD WIPER & WASHER

POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19

CONVEX REAR

VIEW MIRROR

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

**MULTI-FUNCTION** 

· Multi-color functionality

» 2881540

PULSE Betrick System AVAILABLE IN FALL

CAB LIGHT

· Removable to use as flashlight #NEW# » 2884047

SOUNDBAR

CAB COMFORT

#### POLARIS GENERAL '16–18 Not compatible with 2881105 Roof

POLARIS GENERAL 4 '17-18

POLARIS GENERAL 4 '19,

POLARIS GENERAL '19



#### FLOOR MATS

# POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

#### POLARTS REMOTE GARAGE DOOR OPENER

BY HOMELINK®

POLARIS GENERAL 4 '17-18

POLARIS ENGINEERED ADVANTAGES

**NEW** INTRODUCING

P@LARIS **Electrical System** 



# MADE EASY WITH PLUG & PLAY

**POLARIS PULSE IS A REVOLUTIONARY** way to provide power to your vehicle, and makes adding electrical accessories a snap. Light bars, audio or other cab accessories are easier to install.

- To install accessories, simply plug the harness into the Polaris PULSE hub
- · No need to remove nuts and stack wire
- · By plugging in your accessories, a secure

THE FOLLOWING ACCESSORIES EASILY

MTX® Premium Sound Bar

8-Vent Heater & Defrost System

Windshield Wiper & Washer System

All RIGID® & Pro Armor Light Bars

connection is guaranteed every time

Look for to identify Polaris PULSE ready accessories.

At right

P. 16

AVAILABLE IN FALL

· Required to easily add

electric components

POLARIS GENERAL 4 '19, POLARIS GENERAL '19

» 2883785

POLARIS PULSE LED

LIGHT BAR HARNESS

# terminals like a three-post terminal setup

#### PLUG INTO THE FACTORY INSTALLED POLARIS GENERAL '16-19 POLARIS GENERAL '16-19 **POLARIS PULSE UNDER THE HOOD:**



N PÜLSE €

 Dedicated shortcut buttons for quick access to features

Front and rear camera support for better visibility on and off trail

Bluetooth and USB smart

phone connectivity

REVOLUTIONIZING THE OFF-ROAD

EXPERIENCE



RIDE COMMAND MOUNT KIT #N4//# • Mount Ride Command seamlessly into the dash for perfect fit & finish

· Comes with wiring harnesses needed for Polaris GENERAL and

RIDECOMMAND®

accessory components · Includes front & rear cameras

\* P&LARIS

**» WITH RIDE COMMAND** MTX° SOUNDBAR

POLARIS GENERAL 4 '17-19,

» 2883803

» WITHOUT RIDE COMMAND MTX® SOUNDBAR

» 2883804

POLARIS GENERAL 4 '17-19

\*DOWNLOAD THE RIDE COMMAND® MOBILE APP





\*\*Requires in-helmet communication

TOTAL COMMAND CENTER FOR A WORLD OF CONNECTION AT

MEDIA PLAYER W/ BUILT IN AM/FM TUNER FOR ALL YOUR

BUDDY TRACKING AND SHARE YOUR RIDE USING THE RIDE COMMAND MOBILE APP\*

RIDE COMMAND 7" DISPLAY | NIVE

• 7" High Bright Touchscreen visible in

Displays critical vehicle information

· Media player w/ built in AM/FM tuner

· Buddy tracking and share your ride

» 2884002

POLARIS GENERAL 4 '19,

for fuel level, coolant temp and

HOLD A CONVERSATION
 WITHOUT SHOUTING AND
 SEE CALLS/TEXTS\*\*

BUILT IN GPS WITH TOPOGRAPHY MAPS TO SEE YOUR LOCATION

YOUR FINGERTIPS

**AND PLAN YOUR RIDE** 

**FAVORITE MUSIC** 

15

ROOFS 8 PROTECTION

#### POLARIS ENGINEERED ADVANTAGES

ECE

CERTIFIED

to mount perfectly to your Polaris Engineered bumper, roof or other mounting point

#### **TESTED** for maximum

#### TRUSTED to not overtax your machine

# PRO ARMOR.

#### **ADVANCED** TECH

RIGID® lights are driven by Aluminum PCB Smart Boards®, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac® UV protection polyester powdercoating.

#### **EXCLUSIVE** OPTICS

RIGID® invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

#### RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

#### MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.



ECE

CERTIFIED

# **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm

#### **SINGLE-ROW LED LIGHT BARS**

Powerful, compact, low-profile light bars with sleek look.

Available in 27.9 cm, 83.8 cm & 101.6 cm



#### **CUBE LED LIGHTS**

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

#### **SR-SERIES PRO**


LIGHT BAR TYPES

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm

## **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

## LIGHT BAR OPTIONS



### **BUILD YOUR VISION**

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.



# (25°/10°) ACCENT

## ADD A HARNESS TO MOUNT YOUR LIGHTS

	LIGHT BAR SET-UPS							
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES					
<i>2014-2018</i> All Models	LIGHT BAR HARNESS 2883486	LIGHT BAR HARNESS 2883486 Y-HARNESS 2879860	LIGHT BAR HARNESS 2881678					
<i>2019</i> All Models	NEW POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	NEW POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785					

⚠ No battery connection cables required on any model/model year Polaris GENERAL'

#### TRAILBLAZER LED HEADLIGHTS

Adjustable beam pattern (outer two lights) from spot to flood

6,000 Lumen total output; 20-watt CREE® XHP LED Chips

• Integrated LED daytime running light • Waterproof, dustproof, fade resistant

» BLACK BEZEL • 2882073

### **TRAILBLAZER** HEADLIGHT COLORED BEZEL

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

COLOR	2-PACK	
RED	2882479-293	
WHITE	2882479-133	
RAW	2882479	
BLUE	2882479-689	

## **ACCENT LIGHTING**

#### **ACCENT LIGHTS**

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

COLOR	PN	
RED (SET OF 4)	2880500	
BLUE (SET OF 4)	2880506	
RED (SINGLE)	2880532	
BLUE (SINGLE)	2880533	

19

#### A LOCK & RIDE CARGO BOX » 2881527 POLARIS GENERAL 4 '17-19,

LOCK & RIDE D-RINGS

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19


» 2881545

**POLARIS GENERAL '16-19** 



**STRAP OPTIONS** 

P. 21





LOCK AND

LOCK & RIDE SPARE TIRE CARRIER

» 2881529

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19



**BEHIND SEAT** STORAGE BAG

» 2882164

POLARIS GENERAL'16-19



IN-DASH STORAGE BAG

» 2882165 POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

FIRE EXTINGUISHER HOLDER NOT SHOWN

» 2882158 POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19 Fits most 3.25" fire extinguishers

**OUTDOORS** 



RHINO GRIP® PRO

POLARIS GENERAL '16-19



PROTECT THE GEAR YOU NEED.

LIVE THE LIFE

YOU LOVE.

» 2881574

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

LOCK & RIDE RHINO GRIP® XL DOUBLE

2884108

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 



#### LOCK & RIDE KOLPIN STRONGHOLD AUTO-LATCH DOUBLE BOOT MOUNT

KOLPIN STRONGHOLD® MOUNT

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

#### KOLPIN STRONGHOLD® CASES

#### KOLPIN STRONGHOLD **GUN BOOTS**

» XL TRANSPORT • 2882430\* POLARIS GENERAL 4 '17-19,

POLARIS GENERAL '16-19 » L IMPACT • 288242\*

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

#### KOLPIN STRONGHOLD® PISTOL BOOT

» 2882429\*

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 

#### KOLPIN STRONGHOLD® ICE ROD BOOT

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

KOLPIN STRONGHOLD ICE AUGER/ POP-UP BLIND BOOT

» 2882427\*

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 

\*REQUIRES AUTO-LATCH MOUNT



#### KOLPIN RHINO GRIPS® IDEAL FOR BOWS & UNCASED GUNS

We would like to thank our partners Browning and Mathews for helping to deliver a successful and

safe off-road experience when out in the field.

GENERAL



LOCK & RIDE RATCHETING RHINO GRIP®

» 2881575

POLARIS GENERAL 4 '17-19, **POLARIS GENERAL '16-19** 



POLARIS GENERAL 4 '17-19.



RHINO GRIP® XL REPLACEMENT RUBBER STRAPS

» 2881621

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

RHINO GRIP® PRO RUBBER STRAPS

POLARIS GENERAL 4 '17-19. POLARIS GENERAL '16-19








#### **REVOLUTIONARY INSTALLATION**

Available on all Polaris vehicles, Lock & Ride accessories allow for a quick reconfiguration between work and adventure. With the flip of a lever, Lock & Ride plungers use downward pressure to expand for a secure fit.





Heavy duty webbing

4536 kg Maximum Load / 1497 kg Working Load

Floating D-Rings

• Double J-Hooks



\_NEW\_

# KEEP IT POLARIS NORTHSTAR COOLERS can survive just about anything - from extreme heat to a nasty tumble off a vehicle. So when we say ice will stay cold for hours on end and anything inside will stay locked up tight, we mean it.

#### POLARIS NORTHSTAR® COOLER



99 LITER

» GRAPHITE • 2883426 » DESERT • 2883392

**57 LITER** 

» GRAPHITE • 2883425

» DESERT • 2881259

28 LITER

» GRAPHITE • 2883424

» DESERT • 2881315

14 LITER NINE

» GRAPHITE • 2883968

19 LITER SOFTSIDE » GRAPHITE • 2883390

## 28, 57 & 99 LITER FEATURES













**TUMBLERS** » 887 mL • 2883394

» 591 mL • 2883393



» 99 LITER • 2883468 COMES WITH ONE DIVIDER » 57 LITER • 2882184

COMES WITH TWO DIVIDERS » 28 LITER • 2882186

COMES WITH ONE DIVIDER







#### SEAT CUSHION

» 57 LITER • 2882179

» 28 LITER • 2882507

COOLER WHEELS

» 57 LITER • 2882180

BOTTLE OPENER



» 2882187

ALL COOLERS AND POLARIS GENERAL CARGO BOXES

3.8 cm x 4.6 m 2495 kg RATCHET STRAP

- Heavy duty webbing
- 2495 kg Maximum Load /831 kg Working Load
- » 2884031

- » 2884032

## PRO ARMOR DUAL-THREAT

- · Dual-compound technology and radial construction
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased.

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>26" × 9" R14</b> 5416340	FRONT		12 kg			413 kg
14"	<b>26" × 11" R14</b> 5416341	REAR	10	14 kg	10		<b>503</b> kg
14"	<b>29" × 9" R14</b> 5416342	FRONT	16 <sub>mm</sub>	14 kg	10	3	<b>503</b> kg
14"	<b>29" × 11" R14</b> 5416343	REAR		16 kg			599 kg



#### **DUAL-COMPOUND =** MORE GRIP + LONGER LIFE

Firmer Durometer Rubber = Longer Life



Softer Durometer Rubber = More Grip

#### FRONT / REAR

## **PRO ARMOR** ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains

PRO ARMOR ATTACK

· Wider spaced lugs provide more grip in softer terrain

· Unique, full-face tread design

26" × 9" R14

26" × 11" R14

· The best all-purpose tire for all-season traction in any terrain

· Harder durometer lugs promote extended wear, increasing tire life

· Tight thread pattern for a quieter ride

			DEPTH	WEIGHT	RATING	BELTS	RATING	
15"	<b>28" × 10" R15</b> 5416344	FRONT/ REAR	25mm	15 kg	8	3	<b>503</b> kg	



413 kg

599 kg

#### ATTACK 2.0 FRONT / REAR **ATTACK**

- Tighter Tread Pattern = hard pack
- Dual-Durometer Lug = in rough terrain, smoothe
- 10-Ply Rated = increased durability
- · Larger Size Offering in 28" = more ground clearance & trail traction



#### vehicles performs perfectly in the intended environment for its intended use. Developed, tested, and produced in partnership so you can tackle the terrain ahead with Polaris.

Each wheel and tire Pro Armor designs for off-road

#### TRIPLE-BELTED SIDEWALLS

- Sidewalls are the most vulnerable puncture area of any off-road tire
- Pro Armor makes tires with extra protection exactly where it's needed most - the sidewall

# 8 or 10-PLY

- Pro Armor builds the toughest tires
- Higher ply ratings mean added protection

#### INNOVATION

#### **DUAL DUROMETER LUGS** (Crawler XG & Attack 2.0)

- Firm durometer rubber on base of lug for stability
- · Soft durometer rubber on top of lug for sticky grip

#### **DUAL COMPOUND TREAD** (Dual-Threat)

- · Firm durometer rubber on center of tread for long wear life
- Soft durometer rubber on shoulders of tread for superior grip

# 4,828+ km RATED

Pile on the kilometers with Pro Armor tires. Every tire is designed and constructed with longevity in mind. With ratings of and beyond, you are assured long life and performance.

#### KNOW YOUR TIRES

DIMENSIONS 28" × 9" R14

TREAD DEPTH means more grip in

for improved vehicle puncture-resistance


SIDEWALL BELTS Increase your resistance to

TIRE: DUAL-THREAT

Tires with higher handle more weight

WHEEL: BUCKLE ACCENT

all conditions sidewall punctures TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER



26" \* 9" R12 • FRONT • 5415756 26" \* 11" R12 • REAR • 5415757

XD-K

	TREA DEP1		PLY F RATING	SIDEWALL BELTS	LOAD RATING
FRON		13 kg		3/1	388 kg
REAL	31.7n	nm 15 kg	8	Aramid	499 kg

#### **PRO ARMOR DAGGER**

MUD

- · From the trails to the pits, this tire gets you through it all
- · Deep, self-cleaning lug and wide tire design for exceptional
- · Rounded profile and full lug pattern for on-trail comfort

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATIN
14"	27" × 9" R14 5415617	FRONT		15 kg	_	_	503 k
14"	<b>27" × 11" R14</b> 5415618	REAR	38 <sub>mm</sub>	18 kg	8	3	531 k



**PRO ARMOR CRAWLER XR** 

SIDEWALL

RATING **517** ka

· Wanna race? This tire grips it all from the trail to the rocks

• A tougher durometer than the XG to take on the toughest

· Square block profile for even surface contact

the trail has to offer

FRONT / REAR

# XR

#### SINGLE DUROMETER

- Smaller lug height and single durometer gives this high-speed tire added rigidity and lateral stability when cornering
- Unique lug design excels in





#### FRONT / REAR

HEEL SIZE



#### PRO ARMOR CRAWLER XG

- · Big or small, these tires crawl them all
- · A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- · 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>28" * 10" R15</b> 5416346	FRONT/ REAR	20mm	15 kg	8	3	503 kg





#### **DUAL-DUROMETER**

- Taller lug height and dual-durometer construction
- Perfect balance between high-speed performance, durability and flex in



UTILITY










- · All-around work horse with tread life of 5,000 miles
- Tread pattern designed to withstand anything from the farm yard, to the pastures to the trail
- With 10-Ply it can carry the load day-in and day-out
- 28" \* 10" R14 FRONT/REAR 5416347 27" × 10" R14 • FRONT/REAR • 5415965
- 26" \* 8" R12 FRONT 5416396 26" \* 10" R12 REAR 5415966

		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
99919	FRONT		11 kg			388 kg
26R12	REAR		15 kg			615 kg
27R14	FRONT/ REAR	16mm	15 kg	10	3	599 kg
28R14	FRONT/ REAR		15 kg			630 kg



# **HARVESTER**

- - Rounded profile and special tread pattern to limit footprint



		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATIN
20010	FRONT		11 kg			388
26R12	REAR	16mm	13 kg	10	3	599 k
27R14	FRONT/ REAR		13 kg			599 k

# 14"

FRONT



FRONT / REAR

## **PRO ARMOR PRESERVE**

- Turf-friendly for areas where low-impact tire tread is needed



		TREAD DEPTH	WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
26R12	FRONT		11 kg			388 kg
56415	REAR	16mm	13 kg	10	3	599 kg
27R14	FRONT/ REAR		13 kg			599 kg



















#### AMPLIFY O

BEADLOCK INCLUDE

FRONT WEIGHT:  $5.9~\mathrm{kg}$  | Load rating:  $408~\mathrm{kg}$  | offset: -9REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: +4

FRONT 14" × 7" • 1522956-266 ACCENT: REAR 14" × 8" • 1522957-266

MATTE BLACK: FRONT 14" × 7" • 1522956-458 REAR 14" × 8" • 1522957-458

#### BUCKLE O

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4

REAR
WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9 FRONT 14" × 7" • 1522544-266 REAR 14" × 8" • 1522545-266

MATTE BLACK: FRONT 14" × 7" • 1522544-458 REAR 14" × 8" • 1522545-458

#### © COMBAT (BEADLOCK RINGS INCLUDED)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38

14" × 7" · 1523283 MATTE BLACK: 14" × 7" · 1523284

#### ■ REBLR ○ (REQUIRES BEADLOCK RINGS)

WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR
WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

FRONT 14" × 7" • 1522238-458 REAR 14" × 8" • 1522239-458

## **SHACKLE** O

FRONT WEIGHT:  $5.9~\mathrm{kg}$  | Load rating:  $408~\mathrm{kg}$  | Offset: +4 REAR WEIGHT:  $6.4~\mathrm{kg}$  | Load rating:  $590~\mathrm{kg}$  | offset: -9

FRONT 14" × 7" • 1522546-266 REAR 14" × 8" • 1522547-266 MATTE BLACK: FRONT 14" × 7" • 1522546-458 REAR 14" × 8" • 1522547-458

#### **□** SIXR ○

FRONT
WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT:  $5.7~\mathrm{kg}$  | Load rating:  $590~\mathrm{kg}$  | offset: -9

REAR 14" × 8" • 1521508-410

MATTE BLACK: FRONT 14" × 7" • 1521507-521 REAR 14" × 8" • 1521508-521 FRONT 14" × 7" • 1521507-410

#### **© CYCLONE**

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

15" × 7" · 1523184-266 ACCENT:

(BEADLOCK RINGS INCLUDED)

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38

MATTE BLACK: 15" × 7" · 1523266

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55 15" × 7" · 1522550-266

MATTE BLACK: 15" × 7" · 1523102-458

O LUG NUTS REQUIRED







	14" FORGED BEADLOCK Only used on REBLR	K RINGS PART#
)	Voodoo Blue	1522244-619
)	Machined	1522244-266
)	White	1522244-133
)	Indy Red	1522244-293
)	Orange Crush	1522244-589
)	Matte Black - Replacement Only used on Combat	1523146-458

# Sold individually

**MATTE BLACK:** 15" × 7" ⋅ 1523184-458

15" × 7" · 1523282

#### WYDE O

MATTE BLACK: 15" × 7" · 1522550-458

#### FLARE

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4 15" × 7" • 1523102-266 ACCENT:

EVERY 15" SET FITS ALL POLARIS GENERAL MODELS

# WHEEL & TIRE SETS

TIRES WHEELS	ATTACK 26" 4828 km	DAGGER 27" 4828 km	DUAL-THREAT 26" 4828 km	DUAL-THREAT 29" 4828 km	PRESERVE 27" 8047 km	PRO ARMOR HARVESTER 27" 8047 km	PRO ARMOR HARVESTER 28" 8047 km	CRAWLER XR 28" 4828 km
AMPLIFY Accent	2882390	2882392	2883138	2883146	2883208	2882388	2883225	2882394
AMPLIFY Matte Black	2882391	2882393	2883139	2883147	2883209	2882389	2883226	2882395
BUCKLE Accent	2881335	2881337	2883140	2883148	2883203	2882383	2883220	2881343
BUCKLE O Matte Black	2881336	2881338	2883141	2883149	2883204	2882384	2883221	2881344
COMBAT Accent BEADLOCKS PRE-MOUNTED			2883217	2883219				2883213
COMBAT Matte Black BEADLOCKS PRE-MOUNTED			2883216	2883218				2883212
REBLR O Matte Black BEADLOCKS SOLD SEPARATELY	2881381	2881383						2881386
SHACKLE Accent	2881347	2881349	2883142	2883150	2883205	2882385	2883222	2881355
SHACKLE O Matte Black	2881348	2881350	2883143	2883151	2883206	2882386	2883223	2881356
SIXR O	2881359	2881362						2881371
SIXR O Matte Black	2881360	2881363	2883144	2883152	2883207	2882387	2883224	2881372

EVERY 14" SET FITS ALL POLARIS GENERAL MODELS POLARIS GENERAL 4 '17-19,

# LUG NUTS O LUG NUTS

TIRES WHEELS	ATTACK 2.0 28" 4828 km	CRAWLER XG 28" 4828 km
CYCLONE Accent	2883160	2883188
CYCLONE Matte Black	2883159	2883187
FLARE Accent	2883158	2883186
FLARE Matte Black	2883157	2883185
HALO Accent BEADLOCKS PRE-MOUNTED	2883162	2883190
HALO Matte Black BEADLOCKS PRE-MOUNTED	2883161	2883189
WYDE Accent	2883156	2883184
WYDE O Matte Black	2883155	2883183

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

# 12MM × 1.5 SPLINED

16 SPLINED LUG NUTS 4 SPLINED LUG NUTS POLARIS WITHOUT WRENCH GENERAL MODELS

2879331 12MM x 1.5 SPLINED 2204966 LUG WRENCH

#### REPLACEMENT CAPS

## POLARIS

LUSTER AMPLIFY, BUCKLE,

COMBAT. CYCLONE SHACKLE, SIXR BLACK

1521509-410

# PRO ARMOR



O LUG NUTS REQUIRED

#### TRACKS



## PROSPECTOR PRO® TRACK SYSTEM

- Polaris exclusive optimized hub geometry minimizes feedback and eases steering effort
- Flexible lug design provides the highest level of deep snow performance by lifting up in deep snow as opposed to digging down
- Lightweight design with slight weight reduction over Camoplast' kit provides for better flotation, eases steering effort, and provides better vehicle control

#### PROSPECTOR PRO® TRACK MOUNTS

- Install this track system mounting hardware in place of tires and wheels. Tracks sold separately

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

#### PROSPECTOR PRO® TRACK

POLARIS GENERAL 4 '17-19, POLARIS GENERAL '16-19

If using Glacier Pro Plow System with tracks, Track Plow Extension is required (2880267)

PRO HEAVY DUTY SERIES

INDUSTRY 1<sup>ST</sup> TECHNOLOGY





- 1. Set Winch Dial to FREE SPOOL (N) to attach Winch Hook
- 2. Set Winch Dial to PULL (L) for Winch Mode
- 3. Set Winch Dial to ROPE RECOVERY (H) for 5x Faster Rope Recovery

INTEGRATED WIRING TNCLLIDED


SEALED PERMANENT

#### PREMIUM SYNTHETIC ROPE

- Lightweight & Easy to Handle
- Superior Flexibility







Auto Stop Technology stops winch at end of pull to prevent driveline stress



**CUT STEEL GEARS &** 

SEALED DRIVETRAIN


**HEAVY DUTY SERIES** 

3 ADD CABLES

Polaris GENERAL

'16-'18 Requires 2882373





THERE'S A REASON

THESE ARE THE BEST WINCHES ON THE MARKET.

sealed to keep out water, dust and other debris.

TESTED 1,200+ PULLS AT MAX LOAD

IT WORKS WHEN YOU

SEALED MOTOR & HEAVY DUTY GEARS

OPERATE FULLY SUBMERGED **UNDERWATER** 



BUILT TO WITHS TAND -29°C TEMPERATURES



**MILITARY** 

1 FIND YOUR MACHINE

- · Greater Strength than Steel Cable
- •15 m Long



# 3 STEPS FOR ADDING A WINCH:

2 CHOOSE BETWEEN POLARIS PRO HD OR POLARIS HD WINCH PRO HEAVY DUTY SERIES HEAVY DUTY SERIES

HOOK WITH STRAP

MODEL	2041 kg	2041 kg	
POLARIS GENERAL 4'19 POLARIS GENERAL'19	AVAILABLE IN FALL NEW 2883861	AVAILABLE IN FALL  NEW  2883860	

POLARIS GENERAL 4 '17-18 2882239

RAPIN ROPE RECOVERY AUTO STOP TECHNOLOGY WINCH LINE FAIRLEAD

STANDARD SYNTHETIC

WIRELESS

STEEL CABLE STEEL ROLLER STANDARD WIRED

2882477

## **UPGRADE** YOUR POLARIS HD WINCH WITH THESE ACCESSORIES

#### **POLARIS WIRELESS** WINCH REMOTE

- · Allows for remote operation of
- Up to 15 m range with LED indicator

WORKS WITH 2882476, 2882477, 2883860 POLARIS GENERAL '16-19

# SYNTHETIC

- 2041 kg WINCH SERIES » 2879187
- 1588 kg WINCH SERIES POLARIS GENERAL '16-19

- Installs easily in place of stock fairlead
- Requires synthetic winch rope (not included) (not compatible with steel cable)

## **AUTO STOP TECHNOLOGY**

2882476

Machined from billet aluminum and weighs less than common steel fairleads

OPTION

- » 2041 kg 2881288 » 1588 kg • 2881289

## DASH SWITCH

- » 2882373 POLARIS GENERAL 4 '17-19 REQUIRED ON ABOVE
- MODELS TO ADD WINCH

## WIRING KIT » 2-SEAT • 2879388

**POLARIS GENERAL '16-19** REQUIRED ON ABOVE MODELS TO ADD WINCH » 4-SEAT • 2879685

WINCH

POLARIS GENERAL 4 '17-19 REQUIRED ON ABOVE

# PUSH FOR MORE

**GLACIER® PRO HD GIVES YOU** 

»183 cm OR 168 cm Blades » Choice of poly or steel » Manual angle system standard

\*FLACIER

168 cm POLY BLADE 183 cm STEEL BLADE

#### **BLADE MATERIAL** Durable poly and steel

blades are designed to push more. Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade that's easier on plowing surfaces.

#### MAKE OUICK WORK OF **SMALLÈR JOBS**

Move snow with the robust and capable Glacier® HD plow system, and discover why a major snowfall can be the highlight of your week. With a robust frame, beefy poly and steel blade options, convenient Lock & Ride mounting and dismounting and amazing value, Glacier® HD is a great choice in the dead of winter.

SELECT A MOUNT MOUNT **FRAME** 2880260

SELECT A FRAME

2881763

4 '17-19, **POLARIS GENERAL** 16-19

MODELS

POLARTS

**GENERAL** 

SELECT A LIFT METHOD WINCH

Polaris PRO HD 2041 kg Winch 2883861 POLARIS GENERAL 4 '19,

POLARIS GENERAL '19 Polaris PRO HD 2041 kg Winch 2882239

168 cm Steel POLARIS GENERAL 4 '17-18. 2880268 POLARIS GENERAL '16-18

SELECT ACCESSORIES

#### **ACCESSORIES** 183 cm Blade Snow Deflector 2858541

183 cm HD Wear Bar 2879875 183 cm Wear Bar 2204976

168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868

168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071

Shear Pin 2205527 **Extension for Tracks** 2880267

#### **GLACIER® HD GIVES YOU**

**BLADES** 

2880270

2880269

183 cm Steel

168 cm Poly

»168 cm Blades » Choice of poly or steel » Manual angle system standard

STEP 3

WINCHES

SELECT A LIFT METHOD

Polaris PRO HD 2041 kg Winch

168 cm POLV BLADE 168 cm STEEL BLADE

	•		
	•		
	-		
	,		
	-		
	-		
	•		
1			
í			
	•		

П

MODELS MOUNT POLARIS 2883256 **GENERAL** 4 '17-19,

> **POLARIS GENERAL** '16-19

FRAME 2882927

SELECT A MOUNT

SELECT A FRAME

POLARIS GENERAL 4 '19, POLARIS GENERAL '19 Polaris HD 2041 kg Winch

2882477

Polaris HD 1558 kg Winch

SELECT A BLADE SELECT ACCESSORIES BLADES

168 cm Stee

2880268

168 cm Poly 168 cm Blade Snow Deflector 2879866 2880269

168 cm HD Wear Bar 2879868

168 cm Wear Bar 2879867 Plow Marker 2872726 Skid Shoe 2205071

**ACCESSORIES** 

Shear Pin 2205527



# SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performance-are the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

**PS-4 EXTREME-DUTY** 

**FULL-SYNTHETIC OIL** 

» 1L·2879037

» 4L·2879251

» 25 L • 2879252

» 60 L • 2879003

» 200 L • 2879038

PS-4 Extreme Duty is optimal for ambient operating temperatures of -18° C to 53° C

#### PS-4 FULL-SYNTHETIC OIL

- PS-4 is optimal for ambient operating temperatures of -40° C to 38° C
- » 1L•2877263
- » 4L 2877264
- » 25 L 2877868 » 60 L • 502338
- » 200 L 2878003

#### **PS-4 OIL CHANGE KIT**

- · Contains the correct amount of oil for your vehicle and correct oil filter
- » 2202166
- SINGLE 570, TWIN 600, TWIN 700, TWIN 800
- » 2880913
- » 2877473

#### » 2879323

## RANGER/RZR 900/1000

#### POLARIS ACE/ETX 325


#### 330500, SPORTSMAN 550/850/1000

# POLARIS® PS-4


THE COMPETITION



Polaris PS-4 oils exceed the latest industry protection standard as set by the API, while the ietary additives clean and protect critical engine parts under high operating temperatures



When tested against competitive oils, camshaft bearing races and lobes exhibit less wear when protected by Polaris PS-4 oil.



WHY VISCOSITY MATTERS: Polaris engines are designed to operate using oils rated at a specific viscosity. Viscosity is the measure of an oil's oil's "film strength", which is a critical component in preserving engine life when an oil is subject to high heat or heavy loads.

# **ENGINEERED TO MAXIMIZE** THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.

#### **DOT 4 BRAKE FLUID**

Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide consistent, positive braking.

» 250 mL • 502081

#### **ANTI-FREEZE**

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components. eliminate scaling, and maximize cooling system performance.

- » 1 L 502103
- » 25 L 502271
- » 206 L 502091

#### AGL

A proprietary blend of additives designed to optimize Polaris® ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or

- » 1 L 502080
- » 200 L 502151
- » 25 L 502152

#### **DEMAND DRIVE FLUID**

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and promote positive engagement.

- » 1 L 502094
- 200 L 502264
- 25 L 502267

# CARBON CLEAN



Polaris Carbon Clean injectors, piston ring lands, intake systems,

» 125 mL • 502082

ethanol corrosion and stabilizes fuel for up to antioxidant formula protects against gum and varnish for easy starting

FUEL STABILIZER

» 125 ml • 502100



## ANGLE DRIVE FLUID

- » 1 L 502089
- » 25 L 502268
- » 202 L 502266 CASE SYSTEM



## PREMIUM GAS SHOCK OIL

» 1 L • 502098





ALL-SEASON GREASE TUBE

» 400 g • 502068

as well as the day you brought it home is proper maintenance. Items like belts, filters, and batteries represent only a few of these critical items engineered specifically by Polaris.

#### **AIR FILTERS**

Critical to engine performance and reliability. A clogged air filter can restrict air flow to the engine leading to reduced engine performance. Dirt and debris ingestion can damage the engine leading to reduced engine life or catastrophic failure. Polaris recommends changing the vehicle's air filter at the specified intervals outlined in the owner's manual, which may be shorter if your vehicle is subject to severe conditions.

FOR THE LIFE OF YOUR RIDE

#### **BRAKE PADS**

Check your brakes if you are close to the recommended service interval, hear grinding when applying the brakes, your vehicle is taking longer to stop or if you have to apply more pressure to your pedal to engage the brakes. Check the brake discs for signs of cracks, excessive corrosion

If the brake pads are contaminated with oils or grease (petroleum products), brake pads have to be

Discs need to be cleaned with brake cleaner or alcohol based cleaner only

### **DRIVE BELTS**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

#### **OIL FILTERS**

Change oil filters with every oil change to provide the best protection for your engine. Superior engine protection keeps your engine operating at peak performance. Be sure to follow the suggested service intervals for oil/oil filter changes.

#### **BATTERIES**

Never leave a battery unattended during the storage season. To ensure your battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer. Be sure to check for corrosion from the terminals to the ends of the cables.

# MAINTENANCE

#### **BREAK-IN PERIOD**

The break-in period for your new Polaris GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine. Perform the listed procedures carefully.

# MAINTENANCE SCHEDULE

25 HRS/400 km

## **BREAK-IN MAINTENANCE**

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> **AIR FILTER:** INSPECT & CLEAN

REPLACE AS NEEDED EXHAUST SYSTEM:

INSPECT & CLEAN

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

50 HRS/800 km

# **MONTHS**

**EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

# **MONTHS**

CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

100 HRS/1600 km

**ENGINE OIL:** 

**TRANSMISSION** FLUID: CHANGE

**EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

# **MONTHS**

150 HRS/2400 km

ENGINE OIL: CHANGE

**BATTERY:** TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

TIRES:
INSPECT CONDITION & PRESSURE

**EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR MONTHS

200 HRS/3200 km

**ENGINE OIL:** CHANGE

**BRAKE PADS** & FLUID: INSPECT & CLEAN REPLACE AS NEEDED

> SPARK PLUGS: INSPECT REPLACE AS NEEDED

**EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

350 HRS/4020 km

ENGINE OIL: CHANGE

**BATTERY:** TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

**EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR

**MONTHS** 

500 HRS/8045 km

**ENGINE OIL:** CHANGE

**AIR FILTER:** INSPECT, CLEAN REPLACE AS NEEDED

**COOLANT:** CHECK LEVEL **REPLACE EVERY 2 YEARS** 

**GEARCASES:** CHECK OIL LEVEL

**EXHAUST SYSTEM:** INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR **CHECK YOUR** OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED **SERVICE ITEMS** AND VEHICLE-**SPECIFIC TIMING** 

# SERVICE PARTS

# Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are developed and tested for your vehicle. Half shafts, bushings, bearings, decals, side panels, electrical components, and clutching components are the same parts that are manufactured on the factory lines for each specific vehicle. This ensures it doesn't merely fit your vehicle – it outperforms your expectations!

# VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



# FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



# POLARIS ENGINEERED DRIVE BELTS

## TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris® CVT System Engineer

#### **OUR INVESTMENT**

- 32,187 km of field testing
- Thousands of dyno hours
- •18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

#### YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- · More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS OUTPERFORM YOUR EXPECTATIONS.

# BRING IT EVERYWHERE

#### TRAILERING





- $\bullet$  Designed for ATVs and UTVs up to 127 cm
- · Integrated grip glides for ultimate traction
- Folding sides for easy transportation
- » 132 cm × 229 cm 2883005



**ALUMINUM ARCHED** LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386



LIGHTWEIGHT

- · Capacity for up to 680.7 kg
- · Safety straps included
- » 183 cm × 130 cm 2875385 » 208 cm × 130 cm • 2875860
- · Capacity up to 1361 kg · Safety straps included

ARCHED RAMPS

· Ramp folds up for transport


» 224 cm × 30.5 cm • 2875387

FOLDING ALUMINUM


#### HITCHES.

#### 3:1 HITCHES


**VERSATILE 3 IN 1 FUNCTIONALITY** 



BALL



ноок



PIN ·

- · Ball, pin and hook design
- · Durable steel construction
- Rust resistant, black powdercoated finish
- · Removable ball
- Heavy Duty ⁵/₅" pin and clip



- HITCH WITH 2" BALL » 2" x 2" RECEIVER
- 2830522
- » 1 1/4" x 1 1/4" RECEIVER



- 1 %" replacement ball for hitch
- Designed to work with 3:1 Hitch
- » 2830524



- » 2" RECEIVER TONGUE 2875320
- » FRONT HITCH RECEIVER



TRAILER BALL 3/4" SHANK » 17/8" BALL • 2877602

- » 2" BALL 2877603

### STRAPS & ROPES

## NEW

- **RECOVERY STRAP**
- 5cm x 9.1 m (8165 kg) · Comes with carry bac
- » 2884033



#### NEW RATCHET STRAP

- 3.8 cm x 4.6 m straps, 2 Pack
- Heavy duty webbing 2495 kg maximum load, 831 kg working load
- » 2884031



## RATCHET STRAP

5 cm x 6.1 m Ratchet Straps Heavy duty webbing, floating D-rings, double J-hooks

- 4536 kg maximum load, 1497 kg working load
- » 2884032



#### SHOCK STRAPS · 3.8 cm 1361 kg breaking strength

- Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295



#### POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL 4 '17-18, POLARIS GENERAL '16-18



#### **COVERS**



- » 2-SEAT 2881841 POLARIS GENERAL '16-19
- » 4-SEAT 2881787
- POLARIS GENERAL 4 '17-19



KEEPII

CLEAN I

» 500 mL • 502309

SHINE I

» 500 mL • 502303

**ALL-PURPOSE CLEANER** 

**INSTANT SHINE & DETAILER** 

The INSTANT SHINE AND DETAILER is developed for cleaning action without water. Removes insects, dust and dirt with almost no effort. Applicable for plastics, visors, windscreens, paint and metal. The wipe and shine formulation.

makes surfaces shine, works water repellant and also has an antistatic effect. Perfect for customers living in urban areas with no access to water, for bike trips or showroom bikes.

Professional cleaner, which is formulated with a low pH-value. The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber plastic and painted surfaces. The formulation is biodegrada





2869919 · BLUE/ORANGE

2869918 · BLACK » WOMEN'S

2869921 · CORAL

2869920 · BLACK

WARM

SOFTSHELL JACKET


· Lined with 280 grams of

Armpit zips for venting

fleece for warmth

Personal property

# THROWS AT YOU



KINGPIN DIRT 509° GOGGLE

Quick change lens 6 triple layer foam

» ONE SIZE 2868671 · LIME 2868668 · ORANGE

ORV RIDING JERSEY

368711 · LIME

\*COOL

Anti-fog & anti scratch

POLARIS



## **FIND YOUR** PERFECT HELMET!

RIDE SAFE - OUR HELMETS ARE DOT/ECE CERTIFIED



#### 509° ALTITUDE **CARBON HELMET**

- Durable, ultra lightweight, Carbon Fiber
- Full carbon fiber shell
- · 1100 grams
- » S-4XL 2867814 • MATTE BLACK 2867815 • GLOSS BLACK



#### 509° ALTITUDE HELMET

- Stylish, Lightweight with 509 Fit
- Thermoplastic poly alloy out shell
- 1260 grams

» S-4XL

2868539 · LIME 2867820 · BLUE 2867818 · ORANGE 2867819 • RED 2867817 • GRAY



#### **TENACITY HELMET**

- · All the style and protection in our
- · Injection molded plastic
- 1450 grams
- » XS-3XL

2868624 • PINK GLOSS 2868620 • BLACK/GRAY

2868619 • BLACK MATTE 2868623 • RED GLOSS 2868622 • BLUE GLOSS 2868621 • LIME GLOSS

#### **PROTECT YOUR HANDS**

#### OFF-ROAD RIDING GLOVES

· As seen in images at left

» S-3XL

2867937 · PINK 2867933 · GRAY 2868712 • BLUE/LIME 2867936 • RED 2867935 • ORANGE 2867934 · BLUE







MEN'S TRAIL MID LAYER

S-3XL Gray/Black • 2869925 MEN'S TECH MESH BEANIE

» ONE SIZE BLACK • 2868650





CAMO WATER BOTTLE

WOMEN'S ASYMMETRICAL HOODIE

» S-3XL BLACK • 2868597

WOMEN'S ROSEAU TEE

» S-3XL GRAY FROST • 2869559 BLACK • 2868586

» 2867962

CAMO CAN KOOZIE

» 2867963

CAMO COFFEE TRAVEL MUG

» 2867961

CAMO

» 2868663

STEERING

WHEEL COVER

» 2867964

KOOZIE

CAMO BOTTLE OPENER NOT SHOWN

CAMO BOTTLE

» 2867965



MEN'S RETRO TRUCKER CAP

» ONE SIZE RED • 2869540 MEN'S LONG SLEEVE RETRO TEE

» S-3XL GRAY • 2868571 WOMEN'S BASEBALL 3/4 SLEEVE TEE

» S-3XL WHITE/GRAY • 2869563









40

