




### CONTENTS

ACCESSORIES	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	18
POLARIS NORTHSTAR COOLERS	20
RIDE COMMAND & AUDIO	22
LIGHTING	24
WHEELS & TIRES	26
WINCHES	34
PLOWS & TRACKS	35

PARTS & GARAGE	36
MAINTENANCE	36
OIL & LUBRICANTS	38
SERVICE PARTS	40
HD PARTS	42
VEHICLE CARE & TRAILERING	44
APPAREL & HELMETS	46
OUTERWEAR & PROTECTION	46
LIFESTYLE APPAREL & CAPS	52
CAMO & GIFTS	54



# **KEEP YOUR** STANDARDS HIGH. WE DO.







WE HOLD OUR PARTNERS TO THE SAME STANDARDS



WHEELS, TIRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMIZE PERFORMANCE



A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING




PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE



MAKING PRODUCTS FOR AVID

designed your vehicle.

# ENGINEERED TO TAKE ON





**BLAZE A NEW** TRAIL

LOCK & RIDE Cargo Box: P. 15

Pro Armor Wheel & Tire Set: P. 33 29" Mud XC & 14" Shackle - Matte Black

XL Fender Flares: P. 13 NOT SHOWN

RIGID SR-Series Combo Light Bar: P. 25

Winch: P. 34



HUNT

LOCK & RIDE Full Windshield - Glass: P. 08 (NOTSHOWN)

Windshield Wiper & Washer System: P. 08 [NOT SHOWN]

Pro Armor 33" Combo LED Light Bar: P. 25 (NOT SHOWN)

Polaris Pulse LED Light Bar Harness: P. 16 NOT SHOWN

LOCK & RIDE Rear Panel - Glass: P. 09

In addition to stock accessories

Premium Roof - Poly: P. 12

LOCK & RIDE Full Windshield - Glass: P. 08

SPORT

**ESSENTIALS** 

Windshield Wiper & Washer System: P. 08

LOCK & RIDE Rear Panel - Glass: P. 09 Polaris Northstar 30 QT Cooler: P. 20

LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08

Sport Roof - Poly: P. 12

4-Seat Extreme Kick-Out Rock Sliders: P. 13

Light Bar Harness: P. 25

Rear Sport Bumper: P. 13

LOCK & RIDE Bed Extender: P. 14

Polaris Northstar 30 QT Cooler: P. 20

LOCK & RIDE Spare Tire Carrier: P. 14

Pro Armor 33" Combo LED Light Bar: P. 25

# **WINDSHIELDS**

Scratch resistant

• Curved to fit, seals tight

Cold weather / heavy dutyWiper ready (windshield only)

Keep the elements out and control air flow into the cab.

Poly

Hard Coat





- Impact-resistant
- · Tight seal keeps out rain and dust
- Hard Coat: 30x more scratch resistance



**POLY** 

HALF WINDSHIELD -

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

POLY


» 2881111

LOCK & RIDE REVOLUTIONARY INSTALLATION



AIRTIGHT **GASKET SEAL** 

**GLASS** HARD COAT POLY



TIP-OUT WINDSHIELD - GLASS TOP SELLER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

FULL WINDSHIELD -GLASS TOP SELLER

POLARIS GENERAL XP 1000/4 '20-21

WINDSHIELD WIPER & WASHER SYSTEM TOPS

NEW

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

VENTED WINDSHIELD -HARD COAT POLY

» 2884223

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

FLIP-DOWN WINDSHIELD -HARD COAT POLY

» 2889156

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21





Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower half for protection with

ADD A REAR PANEL TO REDUCE THE DUST SWIRL

# REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.



REAR PANEL - GLASS TOP SELLER

FULL WINDSHIELD -HARD COAT POLY

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2884337

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



REAR PANEL - POLY

» 2881112

POLARIS GENERAL XP 1000/4 '20-21

**DOORS** 

**COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with** half doors. To create an enclosed cab for increased protection



#### **PREMIUM POLY FULL DOORS**

- Impact and scratch-resistant tempered glass
- Fully-sealed design keeps elements out for a premium in-cab environment
- Hinged window adjustability

POLARIS ENGINEERED ADVANTAGES

• Soft-touch, easy-to-clean premium

#### 2-SEAT

Six-way glass window adjustability

» 2883717

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

#### 4-SEAT

- Kit includes B-pillar cover seal
- » 2883082

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21





**A PERFECT FIT FOR THE PERFECT SEAL** 

#### **ZIP WINDOW UPPER DOORS**

- Durable, rugged canvas stitched over a robust steel frame
- · Lightweight, UV-resistant construction
- Retention straps for increased strength
- · Zipper windows for increased venting options
- Mounts easily by drilling into stock doors (drill hole plugs included)

#### 2-SEAT

#### 4-SEAT

» 2882548 POLARIS GENERAL XP 1000 '20-21

» 2883453 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '18-21

POLARIS GENERAL 1000 '18-21









**PREMIUM** FEATURES **8** QUIETER



**POLARIS ENGINEERED ADVANTAGES** 

# **ALUMINUM S POLY**

- High protection strength
- · Lower profile
- Sleek style
- Water run-off
- · Pre-existing mounting features
- · Liner ready
- Lightweight

#### 2-SEAT

#### **ROOF - ALUMINUM**

» 2883800

» 2883780

PREMIUM ROOF - POLY

POLARIS GENERAL XP 1000 '20-21

SPORT ROOF - POLY

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21

INCLUDES

PREMIUM



#### 4-SEAT

#### PREMIUM ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-21



INCLUDES

SPORT ROOF - POLY

#### » 2883781

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21

#### POLY ROOF LINER

OLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21 Compatible with Sport Roof - Poly

# BUMPERS MOTSHOWN

#### SPORT

#### » 2884345

» 2881102

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

#### ROCK SLIDERS NOT SHOWN

POLARIS GENERAL 1000 '16-21

EXTREME KICK-OUT

POLARIS GENERAL XP 1000 '20-21

POLARIS GENERAL XP 4 1000 '20-21

POLARIS GENERAL 1000 '16-21

» 2-SEAT • 2881101

» 4-SEAT • 2881992

#### » 2880171

LOW PROFILE

FRONT

» 2880274

'20-21

REAR

HMW A-ARM

GUARDS NOT SHOWN

#### **FENDER FLARES**

#### XL TOP SELLER

#### » 2884220

POLARIS GENERAL XP 1000/4 POLARIS GENERAL 1000/4 '16-21 Not compatible with Low Profile Rock Sliders POLARIS GENERAL 1000/4

### A-ARM GUARDS

#### FRONT

#### POLARIS GENERAL XP 1000/4

#### REAR

» 2884221

#### » 2884222

POLARIS GENERAL XP 1000/4 '20-21

# HIGH CLEARANCE

### **BUMPERS**

#### A SPORT LOW PROFILE

#### » 2881094

FRONT

#### POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

#### ®SPORT UPPER

#### » 2881525

POLARIS GENERAL XP 1000/4 POLARIS GENERAL 1000/4 '16-21 Requires Sport Low Profile Front Bumper

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK **INSTALL OF ROCK SLIDERS AND BUMPERS** 









#### **EXPANSION ANCHOR MOUNTS**

WITHOUT DAMAGING THE VEHICLE'S FRAME



REVOLUTIONARY INSTALLATION

LOCK & RIDE

POLARIS ENGINEERED ADVANTAGES

KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK

CARGO BED MAT

» 2881933

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2885114 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

NEW

STORAGE

REAR BED STORAGE RACK

POLARIS GENERAL XP 1000/4 '20 POLARIS GENERAL 1000/4 '16-21

See P. 18 for more info

SPARE TIRE CARRIER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

FITS WHEEL UP TO 30"

» 2881529

» 2885113



BED EXTENDER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2881547

TIP-DOWN HEADACHE RACK

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2882144

BEHIND SEAT STORAGE BAG

» 2882164

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

IN-DASH STORAGE BAG

» 2882165

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» 2881527

LOCK & RIDE

CARGO BOX

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Includes all mounting hardware for secure installation



» 2881545

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

NOTSHOWN FIRE EXTINGUISHER HOLDER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Fits most 8.25 cm fire extinguishers (not included)







EASILY

RECONFIGURE **FOR ANY TASK OR ANY TRAIL** 





# CAB COMFORT



8-VENT HEATER & DEFROST SYSTEM TOP SELLER

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL 1000/4 '16-21

PULSE Bestical System

» 2881316

Not Compatible with Rockford Fosgate Stage 4 Audio Kits Audio Bracket (2885112) required to install heater on vehicles with Ride Command and audio,



WINDSHIELD WIPER & WASHER SYSTEM TOP SELLER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

See P. 08 for windshields

PULSE



#### **CONVEX REAR VIEW MIRROR**

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



#### FLOOR MATS

#### » 2881934

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21







- Red light is great for
- Green light is perfect for



#### MULTI-FUNCTION CAB LIGHT

PULSE Bectrical System

• LED dome light provides · Battery-operated, white, red, green and blue lighting options

Remove to use as flashlight in and

#### » 2884047

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

#### POLARIS PULSE LED LIGHT BAR HARNESS

· Required to easily add electric components


POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

#### POLARIS ENGINEERED **ADVANTAGES**

# MADE EASY WITH PLUG & PLAY



- Look for <sup>™™</sup> to identify Polaris PULSE ready accessories.
- To install accessories, simply plug the harness into the Polaris PULSE hub
- · No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time





#### **STORAGE**



#### LOCK & RIDE FALLAVAILABILITY REAR BED

STORAGE RACK

- Take more gear with 2 Kolpin Stronghold XL mounts and integrated MOLLE panels
- 30 or 60 Qt. Polaris Coolers will still fit in bed with rack installed
- » 2885113

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

#### LOCK & RIDE FALLAVAILABILITY

KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK

- Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to a General Rear Rack
- » 2885114

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

#### KOLPIN STRONGHOLD CASES

**PROTECTING** 

**ESSENTIAL** 

**GEAR SINCE** 

YOUR

1943



KOLPIN STRONGHOLD GUN BOOTS

» XL TRANSPORT • 2882430\*

POLARIS GENERAL XP 1000/4 '20-21

» L IMPACT • 2882426\*

POLARIS GENERAL XP 1000/4 '20-21



KOLPIN STRONGHOLD AUTO-LATCH MOUNT

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



GENERAL

KOLPIN STRONGHOLD POP-UP BLIND/ICE AUGER BOOT

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

\*REQUIRES AUTO-LATCH MOUNT (2883970 OR 2884106)

RHINO GRIP PRO

» 2884107

POLARIS GENERAL XP 1000/4 '20-21

KOLPIN RHINO GRIPS IDEAL FOR BOWS & UNCASED GUNS



RATCHETING RHINO GRIP

» 2881575

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» 2881574 • SINGLE

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» 2889204

NEW

POLARIS GENERAL XP 1000/4 '20-21, POLARIS GENERAL 1000/4 '16-21

HEAVY-DUTY XLR REPLACEMENT RUBBER STRAPS (2)

#### LOCK & RIDE

RHINO GRIP XLR - DOUBLES

» 2884108


POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



RHINO GRIP PRO **RUBBER STRAPS** 

» 2884109

POLARIS GENERAL XP 1000/4 '20-21,



# GRIZZLY TESTED. POLARIS APPROVED. This cooler is IGBC-approved, meaning it withstands the power expended by a typical

grizzly bear if it was trying to get inside.

Seriously, there are experts who know what a grizzly is capable of doing, and they certify our coolers can take it.

28, 57 & 99 LITER FEATURES











POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING -FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.



99 LITER

» GRAPHITE • 2883426

» DESERT • 2883392



**57 LITER** 

» GRAPHITE • 2883425

» DESERT • 2881259



28 LITER

» GRAPHITE • 2883424

» DESERT • 2881315



14 LITER

» GRAPHITE • 2883968




19 LITER SOFTSIDE

» GRAPHITE • 2883390

### **ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO**

COOLER ACCESSORIES	6	99 LITER	57 LITER	28 LITER	DON'T FORGET THESE ACCESSO		ORIES
WIRE	RE BASKET	2883648	2882185	2882438	O most reserv	0	
Double	IDERS es as g board	2883468 COMES WITH ONE DIVIDER  1 way to partition	2882184 COMES WITH TWO DIVIDERS  2 ways to partition	2882186 COMES WITH ONE DIVIDER  1 way to partition	TUMBLERS  » 887 mL • 2883394 » 591 mL • 2883393	LOCK & RIDE QUICKSTRAP  » 2882187  ALL COOLERS AND POLARIS GENERAL	BOTTLE OPENER  3 2882183 ALL COOLERS
SEAT	T CUSHION	NOT AVAILABLE	2882179	2882507		CARGO BOXES	
WHE	EELS	2883967	2882180	NOT AVAILABLE			

# RIDECOMMAND



#### RIDE COMMAND 7" DISPLAY

- 7" High Bright Touchscreen visible
- Displays critical vehicle information for fuel level, coolant temp and battery voltage

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

Media player with built in

» 2884072

- · Enhanced Group Ride capability
- Dedicated shortcut buttons for quick access to features
- Bluetooth and USB smart
- Front camera support for better

#### RIDE COMMAND

- Mount Ride Command seamlessly into
- the dash for perfect fit and finish Comes with wiring harnesses needed
- and accessory components
- · Includes front and rear camera, V2V.

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21

#### AUDIO BRACKET

- Used to mount audio amplifier for front and rear speakers when subwoofer is removed
- Required to install a heater on a vehicle with Ride Command
  - » 2885112

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21

#### DOWNLOAD THE RIDE COMMAND **MOBILE APP**





# PÜLSE **AUDIO KIT** • PMX-P2 HEAD UNIT & FRONT

AUDIO

- COAXIAL SPEAKERS
- 16.51 cm6.86 cm full color display with AM/FM/WB tuner\*, Pandora Control and Bluetooth Connectivity
- 50 Watt 16.51 cm front coaxial and arilles
- » 2884282

POLARIS GENERAL XP 1000/4 '20-21

#### STAGE 2 PMX AUDIO KIT+ REAR SPEAKERS


- REAR COAXIAL SPEAKERS & AMP
- 2. 50 Watt 16.51 cm rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and dust protection

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21





An industry first. A true factory installed integrated off-road audio system. Rockford Fosgate partnered with Polaris to purpose build the highest performing system specifically for the GENERAL platform. Tuned and ridercentric to create a class leading audio experience that is second to none.



- 2, 50 Watt 16.51 cm front and rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- IP67 Rating delivering water resistance and
- » 2885163

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

REQUIRES RIDE COMMAND 7" DISPLAY 2884072 & MOUNT KIT 2884283 (BOTH SOLD SEPARATELY)



BLUETOOTH

#### STAGE 4 **UPGRADE**

pockford fosquie.

NO LOSS OF



- SUBWOOFER
- Compatible with Stage 1 and Stage 2 PMX-P2 Audio Kits
- 200 Watt 16.51 cm subwoof
- » 2889053

**RIDE COMMAND** 


STAGE 4

RIDE COMMAND

**AUDIO KIT** 

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

# **BUILD YOUR SOUND**



AUDIO:

STAGE 1

**AUDIO KIT** 

MODEL ETTMENT

**HEAD UNIT:** 

STAGE 1 AUDIO

INSTALLED

STOCK AUDIO

DELUXE

KIT WITH PMX-P2 **HEAD UNIT** 

**PREMIUM** 

ХP

STAGE 1 **AUDIO KIT** 

PMX HEAD UNIT + FRONT COAXIAL SPEAKERS

**SPORT** 

#### STAGE 2 + **REAR SPEAKERS** UPGRADE

**STAGE 2 + 4** 

**UPGRADES** 

REAR SPEAKERS, AMP + **AUDIO BRACKET** 2885162

OPTIONAL SUBWOOFER



2889053 NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

**RIDE COMMAND** + STAGE 4 AUDIO SYSTEM UPGRADE **PACKAGE INSTALLED** 

# **RIDE COMMAND**

**MOUNT KIT** 2884283

**STAGE 2 UPGRADE** 

2885163

**STAGE 4 UPGRADE** 

**SUBWOOFER** 2889053

# POLARIS ENGINEERED

# **MOUNTS PERFECTLY**

#### Designed for your Polaris Engineered bumper, roof or other mounting point

#### MAX PERFORMANCE Validated to work as hard as your machine does

#### **DOESN'T OVERTAX** Trust it to work when you need it to

# PRO ARMOR.

#### **ADVANCED** TECH

RIGID lights are driven by Aluminum PCB Smart Boards, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac UV protection polyester powdercoating.

#### **EXCLUSIVE** OPTICS

RIGID invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

#### LIGHT BAR TYPES



#### **SR-SERIES PRO**

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm



#### **D-SERIES PRO**

Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot

#### RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

#### MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.

#### **DUAL-ROW LED LIGHT BARS**

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



#### **SINGLE-ROW LED LIGHT BARS**

Powerful, compact, low-profile light bars with sleek look.

Available in 27.9 cm, 83.8 cm & 101.6 cm



#### **CUBE LED LIGHTS**

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot

#### LIGHT BAR OPTIONS



#### **BUILD YOUR** VISION

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.

OPTICS Light angle	ACCENT	DRIVING (45°)	FL00D (25°)	SPOT (10°)	COMBO (25°/10°)
DRIVING SPEED	All	Slow	Medium	Fast	Medium to fast
BEAM	Diffused glow	Extra-wide	Wide/Shorter	Concentrated/Long	Inner spot & outer flood
RECOMMENDED MOUNTING	Low/Wheel well	All points	Low 8/or rear	High points	All points
TERRAIN & RIDING STYLE	Added style & personalization in any terrain	All riding & utility	Wide-open terrain or trails & utility	Trail & tight conditions	All riding & utility

# ACCENT

#### ADD A HARNESS TO MOUNT YOUR LIGHTS

	LIGHT BAR SET-UPS							
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES					
<i>2019-2020</i> All Models	POLARIS PULSE LEO LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785					

△ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

▶ PULSE and Pro Armor lights are Polaris PULSE ready.

#### **ACCENT LIGHTING**



POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

COLOR	PN
RED (SET OF 4)	2880500
BLUE (SET OF 4)	2880506







# SUPERTOR PERFORMANCE & DURABILITY

# WAYS TO SHOP WHEELS & TIRES

# PRO ARMOR

# PERFORMANCE

- · Every tire is designed and constructed with longevity in mind
- 3,000+ mile rated 4,828 kilometers)

#### PREMIUM PROTECTION

- · Pro Armor makes tires with extra protection exactly where it's needed most-the sidewall
- · Triple-belted sidewalls keep your tires more resistant so you can keep going

#### TOUGHEST TIRES

- · Higher ply ratings mean added protection
- · Pro Armor builds 8 or 10-ply rated tires for higher puncture-resistance

### TIRES BY SIZE

27"	28"	29"	30"
MUD XC	HARVESTER	DUAL-THREAT	CRAWLER XG
HARVESTER	CRAWLER XR	MUD XC	ATTACK 2.0
	ATTACK 2.0	нр-к	HARVESTER
	CRAWLER XG		CRAWLER XG

#### **TIRES BY TERRAIN**

1	TRAIL	ROCK	DESERT	MUD	<b>SK</b> UTILITY	※ SNOW
ì	CRAWLER XR	CRAWLER XR	CRAWLER XR	MUD XC	HARVESTER	ATTACK 2.0
	CRAWLER XG	CRAWLER XG	CRAWLER XG		PRESERVE	ATTACK
	MUD XC	DUAL-THREAT	ATTACK 2.0		хр-к	HARVESTER
ì	ATTACK 2.0	ATTACK 2.0	ATTACK		нр-к	XD-K
	ATTACK		DUAL-THREAT			нр-к
	DUAL-THREAT					
	HARVESTER					
	PRESERVE					
	хр-к					
	нп-к					

### **KNOW YOUR TIRES**

### DIMENSIONS TIRE TIRE WHEEL HEIGHT WIDTH DIAMETER

**REAR** 

**TREAD** TIRE **DEPTH** WEIGHT

PLY RATING **SIDEWALL BELTS** 

LOAD RATING

32" × 9" R15 | FRONT/ **Part Number** 

**30** mm

18 kg

10

3

499 kg

#### TREAD DEPTH

Deeper treads have more grip in all conditions

#### PLY RATING

Indicates tire puncture-resistance

#### LOAD RATING

How much weight can the tire handle

#### USAGE Where can you use the tire

**TIRE WEIGHT** A lighter tire makes for improved vehicle performance

#### **SIDEWALL BELTS**

Increase your resistance to sidewall punctures

#### WHEELS BY SIZE



#### **KNOW YOUR WHEELS**

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <800 LBS 2 = 801 - 1,300 LBS 3 = 1,301 - 1,600+ LBS

STEP 3: PICK YOUR STYLE

OFFSET / BEADLOCK / COLOR

**INCREASE OFFSET FROM STOCK = NARROWER STANCE DECREASE OFFSET FROM STOCK = WIDER STANCE** 

TIRES







#### **PRO ARMOR CRAWLER XR**

- · Wanna race? This tire grips it all from the trail to the rocks
- · Square block profile for even surface contact
- · A tougher durometer than the XG to take on the toughest

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATIN
14"	<b>28" × 10" R14</b> 5415536	FRONT/ REAR	16 mm	15 kg	8	3	517

**PRO ARMOR CRAWLER XG** 

FRONT/ REAR 20 mm

PLY SIDEWALL RATING BELTS

581 kg

498 kr

**581** kg

17 kg

15 kg

18 kg

• A soft, sticky compound makes this tire ideal for both

· 8-ply, triple-belted ballistic sidewalls resist punctures

· Big or small, these tires crawl them all

rock crawling and desert running

30" × 10" R14

28" × 10" R15

30" × 10" R15

FRONT/REAR



# SINGLE DUROMETER

- Smaller lug height, added rigidity and lateral stability when cornering
- Unique lug design excels in hard-packed, fast terrain









- Taller lug height
- Perfect balance between





#### FRONT/REAR

WHEEL SIZE

14"

# XG

# DUAL-DUROMETER

- high-speed performance, durability and flex in order to grip slick rock



WHEEL SIZE 14"

#### **PRO ARMOR DUAL-THREAT**

- $\bullet$  Dual-compound technology and radial construction offer performance in all
- · Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration

and	longer tread life		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	
14"	<b>26" × 9" R14</b> 5416340	FRONT			12 kg			413 kg
14"	<b>26" * 11" R14</b> 5416341	REAR		14 kg	10	_	499 kg	
14"	<b>29" × 9" R14</b> 5416342	FRONT	16 mm	14 kg	10	3	499 kg	
14"	<b>29" × 11" R14</b> 5416343	REAR		16 kg			<b>599</b> kg	

#### FRONT/REAR

14"

#### **DUAL-COMPOUND** = MORE GRIP + LONGER LIFE



- Firmer Durometer Rubber = Longer Life
- Softer Durometer Rubber = More Grip









FRONT/REAR

#### **PRO ARMOR ATTACK 2.0**

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer
- Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	<b>28" × 10" R15</b> 5416344	FRONT/		15 kg	10	3	503 kg
15"	<b>30" × 10" R15</b> 5416345	REAR		17 kg			560 kg

TIGHTER TREAD PATTERN =

DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother

10-PLY RATED =

LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction

WHEEL SIZE

15'



#### FRONT/REAR

#### PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- · Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14*	<b>26" × 9" R14</b> 5415613	FRONT	23 mm	13 kg	8	3	413 kg
14"	<b>26" * 11" R14</b> RE 5415614	REAR		15 kg			599 kg





#### PRO ARMOR MUD XC

- Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- · Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- · 10-ply construction, means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14-	<b>29" × 10" R14</b> 5416946	FRONT/ REAR		18 kg			630 kg
14"	<b>27" × 9" R14</b> 5416947	FRONT	30 mm	14 kg	10	3	531 kg
14	<b>27" × 11" R14</b> 5416948	REAR		15 kg			599 kg

#### FRONT/REAR







UTILITY FEATURE	HARVESTER	PRESERVE	XD-K	HD-K	
8,047 Kilometer Rated Long life and performance	X	X			
10-Ply Rated Higher ply ratings means added protection	X	X	X	X	
Low Impact Tread Easy on soil		X			
<b>Heavy Duty Tread</b> Aggressive tread pattern for all day work on farms or ranches	X		X	X	
Turf-Friendly Easy on grass and farm yard	X	X			
Aramid Fiber Belt 5x times stronger than steel and lighter			X	X	
Wide Range of Sizes For exactly how you want to use your machine	30", 28", 27", 26"	27", 26"	26"	29"	







#### **PRO ARMOR HARVESTER**

- · All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12"	<b>26" × 8" R12</b> 5416396	FRONT		11 kg			388 kg
12"	<b>26" × 10" R12</b> 5415966	REAR		15 kg			<b>615</b> kg
14	<b>27" × 10" R14</b> 5415965	FRONT/ REAR	16 mm	15 kg	10	3	599 kg
14	<b>28" × 10" R14</b> 5416347	FRONT/ REAR		15 kg			<b>630</b> kg
NEW 15	<b>30" × 10" R15</b> 5417529	FRONT/ REAR		17 kg			599 kg



FRONT/REAR







#### **PRO ARMOR XD-K**

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12" 1	<b>26" × 9" R12</b> 5415756	FRONT	31.7 mm	13 kg	10	3/1	388 kg
12"	<b>26" × 11" R12</b> 5415757	REAR	31.7 mm	15 kg	10	Aramid	499 kg







#### FRONT/REAR

#### **PRO ARMOR PRESERVE**

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
<b>26" × 8" R12</b> 5416403	FRONT		11 kg			388 kg
<b>26" × 10" R12</b> 5416402	REAR	16 mm	13 kg	10	3	599 kg
<b>27" × 10" R14</b> 5416348	FRONT/ REAR		13 kg			599 kg
	5416403 26" × 10" R12 5416402 27" × 10" R14	5416403 FRONT  26" * 10" R12     5416402 REAR  27" * 10" R14 FRONT/	DEPTH  26" * 8" R12 5416403  FRONT 5416402  REAR 5416402  7" * 10" R14 FRONT/	26" × 8" R12	26" × 8" R12	26" × 8" R12





# NEW

#### **PRO ARMOR HD-K**

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple belted sidewall provides extreme sidewall protection and extends
- ${\boldsymbol{\cdot}}$  Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	<b>29" × 10" R14</b> 5417507	FRONT/ REAR	31.75 mm	18 kg	10	3/1 Aramid	598 kg



FRONT/REAR

1521509-410

1521509-521

1522243-410

1522243-458

5457498-458

5453209-410

5453209-458

1523063-458

1523015-410

1523015-458

# WHEELS























15"



1/1

#### 40-SERIES

#### △ 4201 (AMPLIFY) ○

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 7" 1522956-266 14" × 8" 1522957-266 MATTE BLACK: FRONT 14" × 7" 1522956-458 14" × 8" 1522957-458

#### 9 4202 (BUCKLE) 0

WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 7" 1522544-266 ACCENT: MATTE BLACK: FRONT 14" × 7" 1522544-458 14" × 8" 1522545-458

#### **9** 4301 BEADLOCK (COMBAT)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38 ACCENT-FRONT/REAR 14" × 7" 1523284 MATTE BLACK: FRONT/REAR 14" × 7" 1523283

14" FORGED BEADLOCK RINGS

15" FORGED READLOCK RINGS

1523147-458

Matte Black

#### • 4203 BEADLOCK (REBLR) •

FRONT **WEIGHT:** 5.9 kg **| LOAD RATING:** 408 kg **| OFFSET:**  $\pm 4$ REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9 14" × 7" 1522238-458 MATTE BLACK: FRONT 14" × 8" 1522239-458

#### 9 4204 (SHACKLE) 0

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9 FRONT 14" × 7" 1522546-266 14" × 8" 1522547-266 MATTE BLACK: FRONT 14" × 8" 1522547-458

#### 4205 (SIXR) 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9 MATTE BLACK: FRONT 14" × 7" 1521507-521 14" × 8" 1521508-521

14" × 7" 1521507-410 14" × 8" 1521508-410 FRONT

#### **6 HD DUAL BEADLOCK**

FRONT/REAR **WEIGHT:** 18.1 kg | **LOAD RATING:** 725.7 kg | **OFFSET:** +38 MATTE BLACK: FRONT/REAR 14" × 7" 1524022-458

### **50-SERIES**

#### **5201 (CYCLONE)**

**WEIGHT:** 7.8 kg | **LOAD RATING:** 590 kg | **OFFSET:** +4FRONT/REAR 15" × 7" 1523184-266 MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

#### 0 5301 BEADLOCK (HALO)

FRONT/REAR WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38 ACCENT: FRONT/REAR 15" × 7" 1523282 MATTE BLACK: FRONT/REAR 15" × 7" 1523266

#### **9 5204 (WYDE) 0**

**WEIGHT:** 6.1 kg | **LOAD RATING:** 590 kg | **OFFSET:** +55MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

#### **©** 5202 (FLARE)

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4 FRONT/REAR 15" × 7" 1523102-266 **MATTE BLACK:** FRONT/REAR 15" × 7" 1523102-458

#### • 5203 BEADLOCK (HEXLR) •

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 15" × 7" 1522435-458

#### **O** LUG NUTS REQUIRED

#### A Vondon Blue 1522244-619 Machined 1522244-266 White 1522244-133 Indy Red 1522244-293 Orange Crush 1522244-589 Matte Black -1523146-458

#### **KNOW YOUR WHEELS**

**STEP 1: SELECT YOUR SERIES** 4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING 1 = <800 LBS 2 = 801 - 1.300 LBS 3 = 1.301 - 1.600+ LBS

> STEP 3: PICK YOUR STYLE OFFSET / BEADLOCK / COLOR

DECREASE OFFSET FROM STOCK = WIDER STANCE

#### KNOW YOUR TERRAIN



**TRAIL** 

ATTACK 2.0

4828 km

2883160

2883159

2883158

2883157

2883162

2883161

2883155

ATTACK 2.0

2883169

2883168

2883167

2883166

2883171

2883170

2883164

15'

**50-SERIES** 

5201 (CYCLONE)

5201 (CYCLONE) Matte Black

5202 (FLARE)

5202 (FLARE)

5301 (HALO)

5301 (HALO)

5203 (HEXLR)

5204 (WYDE)

Matte Black O

O LUG NUTS REQUIRED

Matte Black

Matte Black


Accent

Matte Black

Accent



# WHEEL & TIRE SETS



UTILITY ROCK

CRAWLER XG

2883188

2883187

2883186

2883185

2883190

2883189

2883182

2883183

2883179

2883178

2883177

2883176

2883181

2883180

2883174


HARVESTER

2885046

2885051









COLBY COMBO VALVE KIT (16 PACK)

Includes 8 ultimate valves and 8 emergency valves

» 2883294



INDIVIDUAL WHEELS & TIRES COMPLETE SETS AS LISTED

Exclusively at Polaris Authorized Dealers

**INCREASE OFFSET FROM STOCK = NARROWER STANCE** 

# PLOWS & TRACKS **GLACIER PRO HD GIVES YOU**

**\*GLACIER** (器

CREATE YOUR PLOW SYSTEM

**POLARIS GENERAL** 

**POLARIS GENERAL** 

MODELS

XP 1000/4

וק-חקי

1000/4

16-21

» 183 cm or 168 cm Blades

STEP 3
SELECT A LIFT METHOD

Polaris PRO HD 2041 kg Winch

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21

POLARIS GENERAL 1000/4 '16-18

**Hydraulic Plow Controller** 

POLARIS GENERAL XP 1000/4 '20-21

**Hydraulic Plow Angle** 

WINCH

2883861

2885102

2883391

» Choice of poly or steel » Manual angle system standard



STEP 1 SELECT A MOUNT

MOUNT

STEP 2 SELECT A FRAME

FRAME

2880260



**BLADES** 

2880270

2880269

2880268

168 cm Steel



	1-77 E-31 E-3
E I The second	

**FEATURES** 

ALL POLARIS ENGINEERED

**WINCHES COME WITH:** 

TESTED **1,200+** PULLS AT MAX LOAD

WINCHES

OPERATES FULLY SUBMERGED

PRO HEAVY DUTY SERIES

**BUILT TO WITHSTAND** 

-29°C TEMPERATURES

I-IID HEAVY DUTY SERIES

**MILITARY** 

**FAST WIRE CONNECTION TO POLARIS PULSE SYSTEM** 

**HOOK WITH STRAP** 



**CUT STEEL GEARS & SEALED DRIVETRAIN** 




SEALED PERMANENT MAGNET MOTOR







NOT AVATI ARI F



Stops winch at end of pull to prevent

driveline stress and plow overlifting

2. Set Dial to PULL (L) for Winch Mode 3. Set Dial to ROPE RECOVERY (H)







WITH ALUMINUM FAIRLEAD

WITH STEEL ROLLER FAIRLEAD

ADD SYNTHETIC ROPE

2041 kg



- · Lightweight & Easy to Handle
- Superior Flexibility & Strength

control with unique code for

• 15 m Long









1 1		
1 ka		

**POLARIS GENERAL XP 1000/4** '20-21 POLARIS GENERAL 1000/4 '19-21

MODEL

2883861

2883860

\*GLACIER HD

168 cm POLY BLADE BEST FOR CORROSION RESISTANCE 168 cm STEEL BLADE BEST FOR BIG JOBS YEAR AFTER YEAR

STEP 4 SELECT A BLADE STEP 5
SELECT ACCESSORIES **ACCESSORIES** 183 cm Blade Snow Deflector 2858541 183 cm Steel **183 cm HD Wear Bar** 2879875 183 cm Wear Bar 2204976 168 cm Poly

168 cm Blade Snow Deflector 2879866 **168 cm HD Wear Bar** 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Blade Plow Shoe 2208864 Shear Pin 2205527

Replacement T Shear Pin 2204829 Extension for Tracks 2880267 **Heavy Duty Deflector** 2884160

#### **GLACIER HD GIVES YOU**

»168 cm Blades »Choice of poly or steel »Manual angle system standard







#### PROSPECTOR PRO TRACK MOUNTS

Install in place of tires and wheels. Tracks sold separately.

» 2880649 POLARIS GENERAL 1000/4 '16-21 POLARIS GENERAL XP 1000/4 '20-21

AND FAIL AVAILABILITY » 2885117

PROSPECTOR PRO TRACK

#### » 2880758

POLARIS GENERAL 1000/4 '16-21 If using Glacier Pro Plow System, Track Plow Extension is required (2880267)

### POLARIS ENGINEERS PARTS THAT PUSH THE LIMITS WITHOUT SACRIFICING STRENGTH AND DURABILITY. We build our products so anyone with

the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

# **MAINTENANCE**

#### **BREAK-IN PERIOD**

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use

#### **AIR FILTERS**

FOR THE LIFE OF YOUR RIDE

flow to the engine leading to reduced engine performance engine life or catastrophic failure.

are critical to the safety and functionally of a vehicle. Brake pads should be checked for wear and oil or grease (petroleum products) contamination and brake discs should be checked for cracks, excessive corrosion or warping.

#### HALF SHAFT

Check for tear and punctures in the boot which can lead to CV joint wear

A cloqued air filter can restrict air

#### **BRAKE PADS**

Maintaining and/or replacing brakes

that can contribute to axle failure.

#### **DRIVE BELTS**

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

- Use lower gear (if available) while varying speeds and avoiding wide open throttle for 8-16 km
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 80 km

#### **OUR INVESTMENT**

- · 32,187 km of field testing
- · Thousands of dyno hours
- · 18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- Collaboration with powertrain & clutch engineers

#### YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- · Fnsure maximum vehicle
- performance More time riding, less time
- wrenching · Produced in collaboration with
- powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

#### **BATTERIES**

To ensure a battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a suitable battery charger. Consult your dealer to ensure the charger is compatible with your vehicle

#### **OIL FILTERS**

Change oil filters with every oil change to provide the best engine protection and keep the engine operating at peak performance

FOLLOW RECOMMENDED SERVICE INTERVALS IN THE OWNER'S MANUAL

### MAINTENANCE SCHEDULE

25 HRS / 400 km

#### **BREAK-IN MAINTENANCE**

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> AIR FILTER: INSPECT & REPLACE AS NEEDED

## EXHAUST SYSTEM:

INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR 50 HRS / 800 km

# **MONTHS**

**EXHAUST SYSTEM: INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

**GENERAL** LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

#### DRIVE BELT: INSPECT & ADJUST

REPLACE AS NEEDED

100 HRS / 1600 km

# MONTHS

ENGINE OIL: CHANGE

CHANGE

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TRANSMISSION FI LITD:

**AIR FILTER:** INSPECT & REPLACE AS NEEDED

#### **EXHAUST SYSTEM: INSPECT & CLEAN**

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

# MONTHS

CHANGE BATTERY:

150 HRS / 2400 km

ENGINE OIL:

TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

TIRES: INSPECT CONDITION & PRESSURE

#### **EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

# MONTHS

200 HRS / 3200 km

ENGINE OIL: CHANGE

BRAKE PADS & FLUID: **INSPECT & CLEAN** REPLACE BRAKE FLUID REPLACE AS NEEDED

#### SPARK PLUGS: INSPECT

REPLACE AS NEEDED AIR FILTER:

INSPECT & REPLACE AS NEEDED

#### **EXHAUST SYSTEM: INSPECT & CLEAN**

INSPECT FOR LEAKAGE OF CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

250 HRS / 4023 km

MONTHS

**ENGINE OIL:** 

CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

#### DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

#### **EXHAUST SYSTEM:** INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR

300 HRS / 4828 km

# MONTHS

ENGINE OIL:

CHANGE AIR FILTER:

INSPECT & REPLACE AS NEEDED

GEARCASE S TRANSMISSION: REPLACE FLUIDS

# EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

**CHECK YOUR** OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED SERVICE ITEMS AND VEHICLE-**SPECIFIC TIMING** 



# SPECIFIC NEEDS, SPECIFIC OILS

Polaris invests millions in engine development, and part of that investment is making sure its lubricants-critical to engine performanceare the right formula for your specific engine. The amount of testing data and engineering resources used in developing Polaris lubricants would overwhelm an aftermarket company. Therefore, the aftermarket must spec an oil to an industry-wide standard that must account for a variety of operating parameters.

PS-4 is designed specifically for Polaris 4-cycle engines and has high film strength and wear protection under extreme loads and temperatures. Exclusive anti-wear additives protect engine parts with extra rust and corrosion protection.

PS-4 EXTREME-DUTY

FULL-SYNTHETIC OIL

ambient operating temperatures of -18° C to 53° C

• PS-4 Extreme Duty is optimal for

1L • 2879037

4L • 2879251

251 • 2879252

60 L • 2879003

200 L • 2879038

#### PS-4 FULL-SYNTHETIC OIL

PS-4 is optimal for ambient operating temperatures of -40° C to 38° C

1L-2877263

4L·2877264

25 L • 2877868

60 L • 502338

200 L • 2878003

#### PS-4 OIL CHANGE KIT

- $\boldsymbol{\cdot}$  Contains the correct amount of oil for your vehicle and correct oil filter
- » 2202166
- SINGLE 570 TWIN 600 TWIN 700 TWIN 800 » 2879323
- » 2880913
- 330500 SPORTSMAN 550/850/1000
- POLARIS ACE/ETX 325 » 2877473

# P&LARIS ENGINEERED PARTS & LUBRICANTS

#### FOR THE LIFE OF YOUR RIDE **ONLY THE BEST WILL DO**

To create the best oil for any terrain, we invest in rigorous testing to ensure our oil delivers the consistency and performance you demand. The results are Polaris Engineered Lubricants that are tested and perfected to deliver excellent total engine protection for the life of your ride.

#### WHAT COUNTS IN OIL TESTING:

- 1. Does it protect the engine at high temperatures?
- 2. Does it keep the engine free from carbon and buildup? 3. Does the oil hold its viscosity over time?

#### **ENGINE CHECKPOINTS**

When evaluating an engine oil and its ability to protect and preserve the engine's power output and lifespan, Polaris engineers focus on key areas within the engine, some of the most critical ones include:

RING LANDS: Poor exidative performance can lead to carbon and varnish buildup, which results in poor ring seal and loss of nower, combustion blow by and fuel dilution of the oil.

PISTON RINGS: During the combustion process, extreme pressures are placed on the top ring, forcing it outward toward the cylinder wall, sealing the combustion chamber. With so much force applied, poor oil film strength between the top ring and the cylinder wall can lead to cylinder wear and loss of power.

ROD BEARINGS: Engine bearings ride on an extremely thin hydrodynamic film of oil. Poor oil film strength or using an oil with a thinner viscosity, can lead to premature bearing wear or even engine failure. Using an oil with high film strength and a strong viscosity, like PS-4 full synthetic, will extend the service life of your engine.

CAMSHAFT: Direct Acting Overhead Camshafts are used on many Polaris Prostar Engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft configurations. These forces are so great that inferior oil can break down and be forced out of the contact area leading to increased wear. PS-4 full synthetic additives are specifically designed to provide wear protection against this.

#### OIL DEVELOPMENT



**FOCUSED ON** POLARIS OIL

DEVELOPMENT & TESTING



64.374 **KILOMETERS** 

DYNO **TESTING** 

FIELD **TESTING** 

### **ENGINEERED TO MAXIMIZE** THE LIFE OF YOUR RIDE

All Polaris fluids—from anti-freeze to brake fluid—are developed for your vehicle. Trust the only fluids perfectly engineered for your needs.



#### **DOT 4 BRAKE FLUID**

Polaris DOT 4 Brake Fluid is a high-quality brake fluid designed for use in Polaris hydraulic brakes. Superior high-temp characteristics plus anti-corrosive additives extend the life of brake system components and provide onsistent, positive braking,

» 250 mL • 502081

#### ANTI-FREEZE

Polaris Extended Life Coolant contains organic acid technologies to prevent corrosion on metal components, eliminate scaling, and maximize cooling system

- » 1 L 502103
- » 206 L 502091

A proprietary blend of additives designed to optimize Polaris° ORV transmission life. Extreme pressure additives protect gears, drive chain, and bearings from scoring and wear. Unlike typical gear case oils, AGL's unique viscosity range allows instant flow and film protection in extreme cold or high heat environr

- » 1 L 502080
- » 200 L 502151
- » 25 L 502152

#### **DEMAND DRIVE FLUID**

Engineered specifically for Polaris ORV front drive systems. Provides positive 4WD engagement in extreme cold or high heat conditions. Unique friction additives protect internal components under heavy loads and

- » 11 502094
- 200 L 502264

Proper lubricant application and timing will ensure optimal vehicle performance. Please refer to your owner's manual for lubricant change interval schedules.



#### CARBON CLEAN

#### FUEL STABILIZER

stabilizes fuel for up to 2 years. Dual-

» 125 mL • 502100



#### ANGLE DRIVE

» 25 L • 502268 » 202 L • 502266 SPORTSMAN, RANGER, RZR ANGLE DRIVE GEAR CASE SYSTEMS



#### PREMIUM GAS SHOCK OIL

» 1 L • 502098



ALL-SEASON GREASE TUBE

# SERVICEPARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



# FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



# POLARIS ENGINEERED DRIVE BELTS

#### TESTED, PERFECTED

We test each belt on the intended vehicle – we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

#### **OUR INVESTMENT**

- · 32,187 km of field testing
- Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

#### YOUR ADVANTAGE

- No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS
OUTPERFORM YOUR EXPECTATIONS.

SAND





EXTREME

EXTREME HEAT UP TO 54° C

Engineered & designed for:

- · Greater durability
- · Enhanced performance
- Greater wear & tear capabilities

I EAVY I UTY PARTS

All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts.


· All weather conditions

# NEW

#### WHEELS & TIRES

Class leading durability for off-road performance and traction for confident

- » 1524022-458 HD WHEEL 14x7 (SHOWN)
- » 5417507 PRO ARMOR HD-K 29x10R14 (SHOW » 5457498-458 • HD WHEEL CENTER CAP (SHOWN)
- » 5415756 PRO ARMOR XD-K FRONT
- » 5415757 PRO ARMOR XD-K REAR



LOCATION	OE	HEAVY DUTY PARTS		
FRONT WHEEL Bearing	051/100/1	0515000		
REAR WHEEL BEARING	3514924	3515090		



Engineered to provide longer life and better stopping power while riding in extreme conditions.



HEAVY

**PAYLOADS** 

\*Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use. For more information regarding Polaris HD parts including vehicle compatibility, installation, and maintenance, please contact your authorized Polaris ORV dealer.

#### **TRAILERING**

#### **UTV TRAIL BOOT ONLY** » 2830527

Kit includes the following items:

FIX ON THE GO | TEMPORARY COVERAGE

- (1) Expandable XL CV Boot • (1) Reusable Cone Tool
- (2) CV Boot Clamps

UTV CV BOOT

REPAIR KIT


- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover » 2830526


#### ATV

- » CV REPAIR KIT 2830528
- » TRAIL BOOT ONLY









CV BOOT

· A quick trail side fix to increase trail time

provided for compact durable storage

disassembling CV axles

powersports axles

• The flexible and durable boot material expands

· Universal fit - works as a temporary fix for most


· All components fit inside the cone, and a cover is


· Easily fits in a cargo box, attached to the roll cage,

in the glovebox, or many other storage locations


over a cone tool for CV boot repairs, without


REPAIR KIT





Remove brake caliper, hub, tie rod, Remove old boot & clean joint.






Spread silicone lube on entire

cone tool. Slide boot over cone

tool, large end first. See package



& install clamns



Empty the bag of grease into the Reassemble tie rod, ball joints, brake CV joint/boot, clean sealing points caliper, axle nut, tire 6 wheel.

Refer to your service manual for further instructions and torque specifications. \*Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair

# **KEEP IT CLEAN**

#### CLEAN I

Remove wheel and axle nut

#### **ALL-PURPOSE CLEANER**

- · Professional cleaner, which is formulated with a low pH-value. The product spreads well on surfaces and adheres on them for effective cleaning action. Perfectly compatible with rubber, plastic and painted surfaces. The formulation is biodegradable
- » 500 mL 502309

#### SHINE

#### **INSTANT SHINE & DETAILER**

- The INSTANT SHINE AND DETAILER is developed for cleaning action without water. Removes insects, dust and dirt with almost no effort. Applicable for plastics, visors, windscreens, paint and metal. The wipe and shine formulation makes surfaces shine, works water repellent and also has an antistatic effect. Perfect for customers living in urban areas with no access to water, for bike trips or showroom bikes.
- » 500 mL 502303



#### RAMP PRO

- & storing
- » 132 cm × 229 cm 2884576



#### ALUMINUM ARCHED LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386



#### LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg · Safety straps included
- » 183 cm × 130 cm 2875385
- » 208 cm × 130 cm 2875860

STRAPS & ROPES



#### FOLDING ALUMINUM ARCHED RAMPS

- Ramp folds up for transport
- · Capacity up to 1361 kg
- · Safety straps included
- » 224 cm × 30.5 cm 2875387

#### 3:1 HITCHES








BALL -- HOOK

- · Ball, pin and hook design
- black powdercoated finish





- » 5 cm x 5 cm RECEIVER 2830522
- 2830523




4.8 cm BALL

Removable ball

• HD 1.6 cm pin and clip

- · 4.8 cm replacement ball for hitch
- » 2830524



- 1.9 cm SHANK
- » 5 cm BALL 2877603



#### RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- Heavy duty webbing, floating D-rings double J-hooks
- 4536 kg maximum load
- » 2884032



#### RECOVERY STRAP

- 5 cm x 9.1 m (8165 kg)
- · Comes with carry bag
- » 2884033

#### Heavy duty webbing 2495 kg maximum load, 831 kg working load

3.8 cm x 4.6 m straps, 2 Paci

» 2884U31



#### SHOCK STRAPS

- · 3.8 cm 1361 kg breaking strength
- Keeps tension on tie-down straps to secure load, 2 Pack
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295

#### **COVERS**



#### TRAILERABLE COVER BY POLARIS

- » 2-SEAT 2881841 POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21
- » 4-SEAT 2881787 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21



#### POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL XP 1000/4 '20-21

### **HITCHES**

#### VERSATILE 3 IN 1 FUNCTIONALITY









- Durable, rust resistant steel with



#### HITCH WITH 5 cm BALL

# » 3 cm x 3 cm RECEIVER





- » 5 cm RECEIVER TONGUE
- 2875320 » FRONT HITCH RECEIVER 2878846



FABRIC TECHNOLOGY DESIGNED TO KEEP YOU COOL Cooling fabric designed with sun protection in mind. Our chemical-free fabric

Coolcore reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays.

#### SHORT SLEEVE COOLING SHIRTS

S-3XL | 2860634

WOMEN'S S-3XL | 2860636



OFF-ROAD RIDING JERSEYS

S-3XI

· Mesh ventilated panels for maximum airflow

· Elastic sleeves with non-restrictive cuffs

RIDING GEAR

JERSEY | 2860647 **GLOVE** | 2860642

**JERSEY** | 2860648 **GLOVE** | 2860643



JERSEY | 2860649 **GLOVE** | 2860644



**JERSEY** | 2860650 **GLOVE** | 2860645



MULTICOLOR | 2860652 BLUE | 2860651



OFF-ROAD RIDING GLOVES S-3XI

· Adjustable wrist closure for a custom fit

· Silicon finger grips and neoprene knuckle protection

# **OUTERWEAR BUILT TO WORK HARD 8 PLAY HARD**

# RAIN SUIT



RAIN JACKET GRAY S-3XL | 2869527

**RAIN PANTS** GRAY S-3XL | 2869528

- 100% waterproof lightweight and packable nylon
- YKK Zippers
- · Rain jacket has removable hood











#### TENACITY 4.0 HELMET

Combination of modern style and premium protection with incredible value

• Shock-resistant, injection-molded thermoplastic

XS-2XL 2861557

- WEIGHT

#### **FEATURES**

· Through-flow, full-helmet ventilation ProClip quick release chin strap allows you to

BLACK/GRAY

XS-2XL 2861558

- fasten the chin strap in seconds
- · Removable breath box
- · Tool-less adjustable roost shield
- · Removable, washable liner • DOT- and ECE 22.05-approved

BLACK/WHITE

XS-2XL 2861560

 $\bullet \ \mathsf{Strong}, \mathsf{lightweight} \ \mathsf{construction}$ 

of carbon fiber or fiber glass

· Composite as low as 1,260g

· Carbon fiber as low as 1,150g

WEIGHT

**HELMETS** 

RED/BLACK XS-4XL 2861470



BLACK/RED



Magnetic Fidlock chin-strap technology

and integrated GoPro mount

• DOT- and ECE 22.05-approved



[ALTITUDE]

CARBON FIBER

BLACK/LIME

XS-4XL | 2861473



FIDL CK.

### KINGPIN 509 DIRT GOGGLE

**509 ALTITUDE 2.0 HELMET** 

Lightweight Design, performance-infused style and features with all-day comfort

FEATURES

· Superior fit for all-day comfort

seal with 509 goggles

• Removable Pro Series breath box

provides excellent ventilation and air

• One-piece eye-port creates draft-free

Premium Materials, attractive price

#### **FEATURES**

- $\boldsymbol{\cdot}$  Oversized spherical lens delivers optimal peripheral vision
- Metal tear off posts provide strength and durability
- $\boldsymbol{\cdot}$  Quick-change technology allows you to run the best lens tint for conditions



2868668

#### TRAIL GOGGLE

Clear Vision at a Great Value

- $\bullet \ \mathsf{Offers} \ \mathsf{a} \ \mathsf{distortion} \text{-} \mathsf{free} \ \mathsf{view} \ \mathsf{with} \ \mathsf{anti-scratch}, \mathsf{anti-fog} \ \mathsf{and} \ \mathsf{UV-blocking} \ \mathsf{technology}$
- Large lens opening enables greater peripheral vision



2867917

S-3XL | 2861435 | S-3XL | 2861436

MEN'S



Versatile, lightweight jacket ideal for layering or wearing as a casual jacket.

MEN'S | S-3XL | 2861432



S-3XL | 2861433

#### NEW WINDBREAKER JACKET

Lightweight, windproof jacket that provides protection while riding.

- 100% polyester windproof fabric
- 3 external pockets allow for maximum storage

S-3XL | 2861541

WINDBREAKER

**JACKET** 



· Removable hood and underarm venting LAYERING



**WOMEN'S** 

#### TECH QUARTER ZIP

TECH QUARTER ZIP

PINK S-3XL | 2861448

Excellent for ride layering, comfortable and stylish

MEN'S



BLUE **BLACK**  NORTHSTAR MID LAYER

Breathable fleece mid-layer is perfect for adding warmth or as a stand-alone shirt.

**BLACK** 

S-3XL | 2861447





BLACK/RED S-3XL | 2861445



FLANNEL JACKET

FORCE

**JACKET** 

This stylish flannel jacket is designed to keep you riding on brisk days. Soft yet durable brushed flannel with a Sherpa fleece lining offers excellent insulation without the bulkiness of a winter jacket.

**OUTERWEAR** 

**WORK JACKET** 

This warm and rugged jacket was engineered to be tough enough for work yet stylish enough for play.

#### External features:

CHARCOAL

S-3XL | 2860865

- Constructed of Nylon 6, a durable, tear-resistant non-stretch woven fabric
- · Coated with Durable Water Repellency (DWR) to provide water-resistance in the elements
- Four external pockets for maximum gear storage

#### Internal features:

• 80 gram 3M Thinsulate for added warmth

BLACK

GRAY

· Built in action back for increased range of motion

- Internal zipper pocket
- Brushed flannel trim

# HATS & T-SHIRTS



**POLARIS GENERAL HAT** GRAY S/M | 2868748 **GRAY L/XL** | 2868749

NEW

WOMEN'S

ALL-IN TEE

S-3XL

BLACK | 2861598

**OLIVE** | 2861599

POLARIS GENERAL TEE S-3XL GRAY | 2868767



NEW

#### **BADGE TRUCKER HAT**

One-Size **GRAY** | 2861531 NAVY | 2861532 BLACK | 2861533 PINK | 2861549 MAROON | 2861537



NEW

TONAL HAT

L/XL BLACK | 2861526 NAVY | 2861525



### **CORE HAT**

One-Size NAVY | 2861523 BLACK | 2861524

S-3XL



One-Size NAVY | 2861520 GRAY | 2861521 BLACK | 2861522



NAVY | 2861497

MEN'S ICON HOODIE

S-3XL

BLACK | 2861496

**GREEN** | 2861495

LIFESTYLE



NEW WOMEN'S ICON HOODIE S-3XL MAROON | 2861507



**WOMEN'S TECH HOODIE** 

S-3XL

**GRAY** | 2861508

MAROON | 2861509











NEW MEN'S BACK GRAPHIC TEE S-3XL **GRAY** | 2861568 NAVY | 2861569









CAMO POLY HOODIE S-3XL BLACK | 2860718



HUNTER CAMO HOODIE \$-3XL OLIVE | 2868716 GRAY | 2860728



S-3XL OLIVE | 2869590



MEN'S CAMO TEE \$-3XL GRAY | 2860709 BLACK | 2860710



CAMO HOODIE S-3XL WOMEN'S | 2867898 MEN'S | 2867879



CAMO TRUCKER HAT
One-Size
BLACK | 2860613
PINK | 2860614





PREMIUM COOZIE 2860829



17oz WATER BOTTLE 2861611



12oz CAMPER MUG 2861612



N=W= 15oz CAMPFIRE MUG 2861613

# RECREATION/GARAGE



EVENT FOLDING CHAIR 2861617



FOLDING TABLE 2861620



POLARIS WOOD SIGN (26.7 cm x 61 cm) 2860866



NECK GAITERS One-Size CAMO | 2861948 BLACK | 2861953

# **COLLECTIBLES**



KEYCHAIN 2861614



NEW LEATHER KEYCHAIN 2861616



POLARIS LEATHER LOOP KEY CHAIN 2861615



BOTTLE OPENER 2860818



# ELEVATE YOUR ADVENTURE



